

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
1	400015	Md Azaruddin	Md Khaja Moinuddin	10/02/1989	Male	BC-E	No	No	Yes	MEDCHAL	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	DMLT mark Memo not enclosed.	Technical Certificate Rejected
2	400065	S Prudhvi Raj Chouhan	S Sevyva	11/08/1989	Male	ST	No	No	Yes	NALGONDA	B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	LT Memo not uploaded	Technical Certificate Rejected
3	400074	Tankari Hanumanth	Tankari Mallesh	06/08/1995	Male	BC-D	No	No	No	RANGAREDDY	Intermediate Vocational MLT Course	700	464	66.29	59.66	0.00	<b>59.66</b>	SSC & Council Renewal not attached	Council Certificate Rejected, Deleted due to Duplicate application
4	400082	ALAVALA UPENDAR	VENKANNA	10/05/1987	Male	BC-A	No	No	Yes		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	bonafide 1st to 5th not submitted and LT Memo not clear, Local Rejected	Technical Certificate Rejected, Deleted due to Duplicate application
5	400083	paladugu vaidehi	paladugu pochaiah	15/04/1996	Female	SC	No	No	No		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	documents not uploaded properly, Local Rejected	Council Certificate Rejected, Training Certificate Rejected, Technical Certificate Rejected
6	400085	ERUKU KALPANA	LAXMAIAH	10/06/1999	Female	ST	No	No	No		Intermediate Vocational MLT Course	800	596	74.50	67.05	2.00	<b>69.05</b>	I to V Bonafides and Council Registration not attached, Local Rejected	Council Certificate Rejected
7	400093	ALAVALA UPENDAR	VENKANNA	10/05/1987	Male	BC-A	No	No	Yes		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	I to V Bonafides not attached, Qualification I & II Memos not clear, Local Rejected	Technical Certificate Rejected
8	400095	Peddaprolu nagaraju	P venkateswarlu	20/06/1997	Male	BC-B	No	No	Yes	KHAMMAM	B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	BSC MARKS MEMO NOT ATTACHED,LT Memo not uploaded	Technical Certificate Rejected
9	400099	Abdulazeem	AbdulRaheem	04/05/1994	Male	OC	No	No	No		B.Sc. MLT	800	492	61.50	55.35	4.50	<b>59.85</b>	TS Caste Certificate, Council Registration & I to IV School Bonafides not attached, Community Certificate Rejected, Local Rejected	Council Certificate Rejected
10	400103	J RENUKA	DEVULA NAIK	18/04/1987	Female	OC	No	No	Yes	SANGAREDDY	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	no father name in caste certificate; LT Memo not clear, Community Certificate Rejected	Technical Certificate Rejected
11	400115	Banoth Sandya	Banoth suresh	06/08/2002	Female	OC	No	No	No		Intermediate Vocational MLT Course	800	605	75.63	68.07	0.00	<b>68.07</b>	Caste, Council Registration & I to V Bonafides not attached, Training certificate wrongly uploaded,, Community Certificate Rejected, Local Rejected	Council Certificate Rejected, Training Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
12	400117	BIJJA RAJKUMAR	BIJJA BABU RAO	16/03/1994	Male	ST	No	No	No	MULUGU	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	Qualification I & II memos not uploaded	Council Certificate Rejected, Technical Certificate Rejected
13	400129	PAVANI G	BIKSHAPATHI G	09/11/1983	Female	OC	No	No	No	WARANGAL (URBAN)	B.Sc. MLT	1800	1035	57.50	51.75	9.50	<b>61.25</b>	TS Caste, Council renewal not submitted, Community Certificate Rejected	Council Certificate Rejected
14	400131	ESHWAR G	SATTAIAH G	15/04/1989	Male	BC-B	No	No	Yes	RANGAREDDY	Intermediate Vocational MLT Course	700	500	71.43	64.29	7.00	<b>71.29</b>	training not enclosed	Training Certificate Rejected
15	400142	GOSKEWAR ADITYA BABU	GOSKEWAR SAI PRASAD	18/11/1992	Male	BC-B	No	No	Yes	NIZAMABAD	DMLT	480	257	53.54	48.19	5.00	<b>53.19</b>		Deleted due to Duplicate application
16	400160	KASANI GOPI	KASANI SEETHARAMULU	15/03/1997	Male	BC-B	No	No	No		Intermediate Vocational MLT Course	800	649	81.13	73.02	3.00	<b>76.02</b>	COUNCIL; REGISTRATION CERTIFICATE EXPIRED, BONAFIDE CERTIFICATE FROM 1ST TO 5TH CLASS NOT SUBMITTED, Local Rejected	Council Certificate Rejected
17	400171	BHUKYA VEERANNA	BHUKYA PATHI	04/06/1986	Male	ST	No	No	Yes		B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	bonafides and MLT certificate not enclosed,, Local Rejected	Technical Certificate Rejected
18	400186	SUNITHA ROYYA	VENKAIAH ROYYA	02/03/1986	Female	SC	No	No	No	NALGONDA	B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	MLT COUNCIL REGISTRATION CERTIFICATE AND MLT MARKS MEMO NOT SUBMITTED,ANM documents uploaded	Council Certificate Rejected, Technical Certificate Rejected
19	400196	Nenavath Ramesh	Nenavath Ramji	10/08/2000	Male	OC	No	No	Yes		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	COMMUNITY CERTIFICATE , MLT MARKS MEMO , BONAFIDE CERTIFICATE FROM 1ST TO 6TH CLASS NOT SUBMITTED,, Community Certificate Rejected, Local Rejected	Technical Certificate Rejected
20	400198	T PRATIBHA	T NAGAI AH	07/04/1985	Female	SC	No	No	Yes	HYDERABAD	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	MLT MARKS MEMO NOT CLEAR,,	Technical Certificate Rejected
21	400202	MOHD IMRAN	MOHD NAZEER	17/12/1993	Male	BC-E	No	No	Yes	NIZAMABAD	Intermediate Vocational MLT Course	700	519	74.14	66.73	0.00	<b>66.73</b>	BIRTH CERTIFICATE NOT SUBMITTED	Deleted due to Duplicate application

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
22	400220	Anjaneyulu	Dullanna	14/03/1996	Male	BC-A	No	No	Yes		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	1 to 5 school bonafide not enclosed, Intermediate Vocational MLT Course mark list not enclosed,, Local Rejected	Technical Certificate Rejected
23	400223	SRINIVASA RAO M	AKKULU	25/07/1980	Male	SC	No	No	No	MULUGU	DMLT	480	227	47.29	42.56	10.00	<b>52.56</b>	registration expired	Council Certificate Rejected
24	400231	Parunandi shravan	Parunandi mallaiah	30/04/1997	Male	SC	No	No	No	SIDDIPET	Intermediate Vocational MLT Course	800	738	92.25	83.03	3.00	<b>86.03</b>	Council certificate expired	Council Certificate Rejected
25	400244	Balasani Bharat	Subbaiah	04/03/1987	Male	ST	No	No	No	SURYAPET	Intermediate Vocational MLT Course	700	502	71.71	64.54	8.00	<b>72.54</b>	council certificate has not uploaded correctly,TS Council renewal not uploaded	Council Certificate Rejected
26	400258	NAGILLA ASHWINI	NAGILLA YADAI AH	22/11/1991	Female	OC	No	No	No		DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	SSC certificate not enclosed, Old Caste enclosed, DMLT registration not enclosed, School bonafide not enclosed, DMLT mark list not enclosed,, Community Certificate Rejected, Local Rejected	Council Certificate Rejected, Technical Certificate Rejected
27	400267	Bodahs Ashok	Bodahs Mallaiah	03/12/1999	Male	OC	No	No	Yes	HYDERABAD	Intermediate Vocational MLT Course	800	540	67.50	60.75	1.50	<b>62.25</b>	Community and birth certificate is of AP . No training certificate uploaded, Community Certificate Rejected	Training Certificate Rejected
28	400281	J SHIRISHA	J SRINIVASULU	15/10/1999	Female	SC	No	No	No	MAHABOBNAGAR	Intermediate Vocational MLT Course	800	632	79.00	71.10	1.50	<b>72.60</b>	Intermediate Vocational MLT Course registration not enclosed, Clinical training certificate not enclosed	Council Certificate Rejected, Training Certificate Rejected
29	400305	BOGARI VANITHA	BOGARI KISTAIAH	10/02/1989	Female	BC-B	No	No	No	KAMAREDDY	B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	MLT certificate not enclosed and father name not match in caste,ANM Memo enclosed	Council Certificate Rejected, Technical Certificate Rejected
30	400316	VANAJA MABBU	RAMNARSAIAH MABBU	10/05/1989	Female	SC	No	No	No	JANGAON	Intermediate Vocational MLT Course	700	443	63.29	56.96	7.00	<b>63.96</b>	Intermediate Vocational MLT Course registration expired,	Council Certificate Rejected
31	400338	K Raja Prathima	K Siva Rama Krishna	29/05/1989	Female	OC	No	No	Yes	HYDERABAD	B.Sc. MLT	1350	796	58.96	53.06	7.00	<b>60.06</b>		Deleted due to Duplicate application
32	400361	SYED MUNAWAR	SYED ALI	08/06/1996	Male	OC	No	No	Yes		B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	B.Sc. MLT marks memo not enclosed, bonafide from 1 to 5 not enclosed, Local Rejected	Technical Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
33	400375	Danusari mounika	Danusari ramchandru	29/05/1995	Female	ST	No	No	No	MAHABUBABAD	Intermediate Vocational MLT Course	800	588	73.50	66.15	4.00	<b>70.15</b>	Council certificate date expired	Council Certificate Rejected
34	400381	Himangshu deka	Roheswar deka	28/07/1995	Male	OC	No	No	No	OtherState	B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	SSC certificate not enclosed, TS MLT Registration certificate not enclosed, ,LT Memos not uploaded	Council Certificate Rejected, Technical Certificate Rejected
35	400400	Thaidala kavitha	Thaidala jakkaiah	01/02/1995	Female	SC	No	No	No	MANCHERIAL	B.Sc. MLT	1350	814	60.30	54.27	4.00	<b>58.27</b>	TS Council Registration not attached	Council Certificate Rejected
36	400411	MEESALA VENKATESH	THIRUPATHIIAH	13/01/1992	Male	SC	No	No	No	MAHABUBABAD	B.Sc. MLT	1350	824	61.04	54.94	5.50	<b>60.44</b>	Council Renewal not submitted	Council Certificate Rejected
37	400414	PAVANI T	ANJANEYULU T	06/08/1993	Female	BC-D	No	No	No	MAHABOONAGAR	DMLT	480	282	58.75	52.88	4.50	<b>57.38</b>	Caste certificate not enclosed, DMLT registration not enclosed,LT registration not enclosed	Council Certificate Rejected
38	400418	Hanumanthu Tankari	Mallesh T	06/08/1995	Male	BC-D	No	No	No		Intermediate Vocational MLT Course	700	464	66.29	59.66	3.50	<b>63.16</b>	school bonafide not enclosed and MLT registration expired, Local Rejected	Council Certificate Rejected
39	400445	Garikimukku Preethi	G.Srinivasa Rao	21/07/1986	Female	SC	No	No	No	SIDDIPET	Intermediate Vocational MLT Course	700	515	73.57	66.21	8.00	<b>74.21</b>	council Registration certificate expired	Council Certificate Rejected
40	400486	MOHD NASER	MOHD ALEEM	06/11/1997	Male	BC-E	No	No	Yes	HYDERABAD	B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	LT Memos not uploaded	Technical Certificate Rejected
41	400497	Palakurla Kumar	Palakurla Laxmaiah	10/08/1995	Male	BC-B	No	No	No		Intermediate Vocational MLT Course	800	633	79.13	71.22	3.50	<b>74.72</b>	Council registration certificate not submitted,Bonafide certificate from 1st to 5th class not submitted, Local Rejected	Council Certificate Rejected
42	400516	MARGAM SHEKAR	MARGAM RAMULU	14/08/1992	Male	OC	No	No	Yes	KAMAREDDY	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	COMMUNITY CERTIFICATE NOT UPLOADED,LT Memo not uploaded, Community Certificate Rejected	Technical Certificate Rejected
43	400522	Medipally Sharah	Medipally Suresh	20/12/2001	Female	SC	No	No	No		B.Sc. MLT	800	662	82.75	74.48	0.50	<b>74.98</b>	council certificate not submitted, bonafide certificate not submitted, Local Rejected	Council Certificate Rejected
44	400526	Bonthu Nagaraju	Veera Mohan rao	20/05/1989	Male	OC	No	No	No	OtherState	B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	A.P Caste Certificate,A.P Registration,B.Sc MLT Marks Memo not submitted,, Community Certificate Rejected	Council Certificate Rejected, Technical Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
45	400535	SHAIK AKBAR PASHA	SHAIK MADAR SAHEB	12/09/1992	Male	BC-E	No	No	No	KHAMMAM	DMLT	480	200	41.67	37.50	5.00	<b>42.50</b>	council certificate expired in 2017	Council Certificate Rejected
46	400536	VANGA SAINATH	VANGA RAMCHANDRAM	25/07/1994	Male	BC-B	No	No	Yes	KAMAREDDY	Intermediate Vocational MLT Course	800	638	79.75	71.78	4.00	<b>75.78</b>	certificate not properly qualification -II	Deleted due to Duplicate application
47	400544	Gundepangu Thrinadh	Gundepangu Rambabu	11/08/1996	Male	SC	No	No	No		Intermediate Vocational MLT Course	800	707	88.38	79.54	3.00	<b>82.54</b>	council registration certificate expired in 2020, Local Rejected	Council Certificate Rejected, Training Certificate Rejected
48	400547	Bathula shiva	Narayana	02/02/1991	Male	BC-B	No	No	No	YADADRI BHONGIR	DMLT	480	232	48.33	43.50	6.00	<b>49.50</b>	MLT Registration not enclosed	Council Certificate Rejected
49	400570	K VINOD KUMAR	K CHANDRU	06/08/1997	Male	ST	No	No	No	NAGARKURNOOL	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	council registration certificate not submitted; Training certificate uploaded wrongly,LT Memo not clear	Council Certificate Rejected, Training Certificate Rejected, Technical Certificate Rejected
50	400587	MUJJIGA SURESH	Mallaiah	09/08/1986	Male	OC	No	No	No	BHADRADRI KOTHAGUDEM	DMLT	480	238	49.58	44.62	8.00	<b>52.62</b>	1. old caste certificate enclosed. 2. council certificate not enclosed., Community Certificate Rejected	Council Certificate Rejected
51	400592	MANNEM GANESH	MANNEM RAMULU	22/09/1999	Male	BC-D	No	No	No	NALGONDA	Intermediate Vocational MLT Course	800	598	74.75	67.28	1.50	<b>68.78</b>	Council registration & Apprenticeship certificate not attached	Council Certificate Rejected, Training Certificate Rejected
52	400600	K. Vijayakumar	Niranjan	12/06/1987	Male	SC	No	No	No		Intermediate Vocational MLT Course	700	647	92.43	83.19	8.00	<b>91.19</b>	bonafide from 1 to 7 , Council renewal, Qualification-I Certificate not uploaded, Local Rejected	Council Certificate Rejected
53	400607	CELAMANTHRA MAHESH	C NAGABHUSHANAM	19/05/1997	Male	OC	No	No	No	SANGAREDDY	Intermediate Vocational MLT Course	800	721	90.13	81.12	3.00	<b>84.12</b>	TS Caste and council renewal not attached, Community Certificate Rejected	Council Certificate Rejected
54	400618	A VIJAYKUMAR	Yadaiah	17/06/1985	Male	SC	No	No	No		DMLT	480	252	52.50	47.25	9.00	<b>56.25</b>	Council Registration and School bonafide from 1st to 4th not enclosed, Local Rejected	Council Certificate Rejected
55	400619	TALARI PRASHANTH	TALARI VENKATESHAM	03/11/1999	Male	BC-D	No	No	No	VIKARABAD	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Qualification-II Certificate, Training Certificate, Qualification-I Certificate, Council Certificate not uploaded properly ,.	Council Certificate Rejected, Training Certificate Rejected, Technical Certificate Rejected
56	400626	ALISHETTY ROJA	ALISHETTY ASHOCK	31/08/1993	Female	BC-B	No	No	Yes		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Qualification-II Certificate & I to IV Bonafides not uploaded,, Local Rejected	Technical Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
57	400628	AMARARAPU CHANTI	MUTHAIAH	05/05/1993	Male	SC	No	No	No	SURYAPET	Intermediate Vocational MLT Course	700	530	75.71	68.14	5.00	<b>73.14</b>	Council Renewal not attached	Council Certificate Rejected
58	400658	ephraim m	md eliah	06/01/1980	Male	OC	No	No	No		DMLT	480	250	52.08	46.87	10.00	<b>56.87</b>	Council Registration certificate, School bonafides and community certificate not attached, Community Certificate Rejected, Local Rejected	Council Certificate Rejected
59	400715	BADISE PARUSHARAMULU	BADISE SARAIAH	05/03/1993	Male	SC	No	No	No	KARIMNAGAR	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	council registration certificate ,training certificate qualification I & II certificates not submitted,.	Council Certificate Rejected, Training Certificate Rejected, Technical Certificate Rejected
60	400730	Durgam sravan kumar	Dharmaiah	06/11/1990	Male	OC	No	No	No		DMLT	480	238	49.58	44.62	0.00	<b>44.62</b>	DOB certificate, council renewal, bonafide certificate from 1st to 5th & TS Caste certificate not submitted, Community Certificate Rejected, Local Rejected	Council Certificate Rejected
61	400733	NANDIGAMA VENKAT VARUN KUMAR	NANDIGAMA JOHN KENADY	09/06/1995	Male	SC	No	No	No	KHAMMAM	DMLT	480	235	48.96	44.06	0.00	<b>44.06</b>	Birth certificate and council certificate not uploaded	Council Certificate Rejected
62	400734	KATARI SAIKRISHNA	KATARI SRINIVAS	20/06/1989	Male	BC-D	No	No	No		Intermediate Vocational MLT Course	700	514	73.43	66.09	7.00	<b>73.09</b>	I to V bonafied & Council Renewal not attached, Local Rejected	Council Certificate Rejected
63	400744	DHEERAVATH SREERAMULU	SEVA	14/06/1993	Male	ST	No	No	Yes	NALGONDA	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	LT memo not clear,.	Technical Certificate Rejected
64	400764	UNDRUK RAJKUMAR	UNDRUK RAMESH	31/07/1998	Male	SC	No	No	Yes	KOMARAM BHEEM ASIFABAD	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Qualification-I & II Certificates not uploaded ,.	Technical Certificate Rejected
65	400765	BHUKYA NAGARAJU	BADDU	26/07/1992	Male	ST	No	No	No		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	training, MLT marks memos , MLT registration, Bonafides I to V not enclosed,., Local Rejected	Council Certificate Rejected, Training Certificate Rejected, Technical Certificate Rejected
66	400803	SIRIKONDA RAVI	SIRIKONDA LINGAIAH	06/07/1995	Male	BC-A	No	No	Yes	NALGONDA	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Intermediate Vocational MLT Course memo not clear,.	Technical Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
67	400806	Yalagandula Gopi chand	Yalagandula venkata narayana	26/06/2000	Male	OC	No	No	No		Intermediate Vocational MLT Course	800	687	85.88	77.29	1.50	78.79	I to V Bonafides, Council Registration and TS Caste not uploaded, Community Certificate Rejected, Local Rejected	Council Certificate Rejected
68	400835	VIJAY MAMIDISHETTI	RAVINDAR	14/01/1988	Male	BC-D	No	No	Yes		DMLT	0	0	0.00	0.00	0.00	0.00	no bonafide 1st to 6th and no qualification certificate - ll,, Local Rejected	Technical Certificate Rejected, Deleted due to Duplicate application
69	400838	ERRABIGADA GNANESHWER	ERRABOGADA NARSING RAO	04/06/1997	Male	BC-B	No	No	No	SANGAREDDY	Intermediate Vocational MLT Course	800	617	77.13	69.42	3.00	72.42	Council Renewal not attached	Council Certificate Rejected
70	400869	ANGADI SADDAM HUSSAIN PAPA	ANGADI SHANTHAIAH	28/12/1997	Female	ST	No	No	Yes	NALGONDA	B.Sc. MLT	0	0	0.00	0.00	0.00	0.00	Birth certificate and qualification 2 incorrectly uploaded,LT Memo not uploaded	Technical Certificate Rejected
71	400876	ESLAVATH RAJESH	E VENKAT	18/08/2000	Male	ST	No	No	No		Intermediate Vocational MLT Course	800	529	66.13	59.52	1.00	60.52	council registration certificate not submitted bonafide /school certificates not submitted, Local Rejected	Council Certificate Rejected
72	400892	P.nagul meera	P Rajaiah	31/07/1996	Male	OC	No	No	No	SURYAPET	Intermediate Vocational MLT Course	700	595	85.00	76.50	3.00	79.50	name not match in caste certificate and MLT registration expired, Community Certificate Rejected	Council Certificate Rejected
73	400900	BURUGU SANDEEP	ANJIAH	28/02/1988	Male	OC	No	No	No	NALGONDA	DMLT	480	250	52.08	46.87	7.50	54.37	NO TS COUNCIL Certificate	Council Certificate Rejected
74	400907	TALLURI NAGAMANI	MUTHAIAH	05/06/1986	Female	BC-B	No	No	Yes	MAHABUBABAD	DMLT	480	276	57.50	51.75	8.50	60.25	father name not match in caste	Deleted due to Duplicate application
75	400933	KOMMU NARSINGA RAO	KOMMU SAILU	16/07/1996	Male	SC	No	No	No	JANGAON	Intermediate Vocational MLT Course	700	541	77.29	69.56	3.00	72.56	council registration certificate expired	Council Certificate Rejected
76	400935	Kukkala Rajesh	Kukkala pichiah	20/05/1991	Male	OC	OH	No	No		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	0.00	cast certificate not matching,bonafide not enclosed from 1-4th and council certificate validity expired marks memo not clear,, Community Certificate Rejected, Local Rejected	Council Certificate Rejected, Technical Certificate Rejected
77	400936	NEMTOORI NAVEEN	NEMTOORI NARSIMLU	12/10/1999	Male	BC-D	No	No	Yes		DMLT	0	0	0.00	0.00	0.00	0.00	I to V Bonafides and LT Memo not uploaded,, Local Rejected	Technical Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
78	400960	MADDURI LAXMAN YADAV	CHANDRAIAH	03/03/1986	Male	BC-D	No	No	No	MANCHERIAL	B.Sc. MLT	1350	849	62.89	56.60	8.50	<b>65.10</b>	Council Renewal not submitted	Council Certificate Rejected
79	400970	Bandaru Madhu Krishna	B.Venkanna	04/01/2000	Male	OC	No	No	Yes	KHAMMAM	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Qualification 2 marks not clear and training certificates not uploaded,, Community Certificate Rejected	Training Certificate Rejected, Technical Certificate Rejected
80	400984	NARAKADAPU UDAY KUMAR	NARAKADAPU SUDHARSHAN	07/01/1999	Male	SC	No	No	No		Intermediate Vocational MLT Course	800	608	76.00	68.40	2.00	<b>70.40</b>	Council Certificate and bonafide certificates not uploaded, Local Rejected	Council Certificate Rejected
81	400985	ANKAM RAJU	SAMBAIAH	05/05/1990	Male	BC-B	No	No	No	WARANGAL (URBAN)	Intermediate Vocational MLT Course	700	373	53.29	47.96	6.50	<b>54.46</b>	PH Certificate expired, PH Rejected	Council Certificate Rejected
82	400990	Guglothsuresh	Shankar	10/05/1989	Male	ST	No	No	No		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Council Renewal, I to V Bonafides not uploaded & LT Marks memo not clear,, Local Rejected	Council Certificate Rejected, Technical Certificate Rejected
83	400992	RAMAVATH LAXMAN	RAMAVATH RAMULU	13/06/1996	Male	ST	No	No	No	NALGONDA	DMLT	480	259	53.96	48.56	3.50	<b>52.06</b>	council certificate not uploaded	Council Certificate Rejected
84	401024	MOHD KHALEEL	MOHD MOIN	31/07/1987	Male	OC	No	No	No		B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	bonafides, Qualification 2 and council certificates incorrectly uploaded,, Local Rejected	Council Certificate Rejected, Technical Certificate Rejected
85	401030	MYLARAM RAMU	NARSIMHA	10/08/1990	Male	BC-D	No	No	No		Intermediate Vocational MLT Course	700	505	72.14	64.93	0.00	<b>64.93</b>	No SSC in personal information, Intermediate Vocational MLT Course registration expired, No School bonafieds,, Local Rejected	Council Certificate Rejected
86	401075	S Uday Kumar	S P Anjaiah	26/08/1993	Male	OC	No	No	Yes		B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	Old caste enclosed, School bonafied not enclosed, BSC MLT not enclosed,, Community Certificate Rejected, Local Rejected	Technical Certificate Rejected
87	401076	MEDIKONDA GOPI	MEDIKONDA VENKATESWARLU	08/07/1994	Male	OC	No	No	No	BHADRADRI KOTHAGUDEM	B.Sc. MLT	1350	820	60.74	54.67	4.00	<b>58.67</b>	community certificate is not visible,council registration certificate expired in 2020, Community Certificate Rejected	Council Certificate Rejected
88	401084	JADAV VIKAS	SHIVAJI	06/11/2001	Male	ST	No	No	Yes	KAMAREDDY	Intermediate Vocational MLT Course	800	577	72.13	64.92	0.50	<b>65.42</b>	Clinical Training not enclosed,	Training Certificate Rejected
89	401087	GUGULOTH RAMESH	HARYA	05/06/1993	Male	ST	No	No	No	SURYAPET	DMLT	480	288	60.00	54.00	5.00	<b>59.00</b>	Council certificate date expired	Council Certificate Rejected



**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
90	401093	MAHESH APPALA	RAGHUPATHI	06/08/1988	Male	BC-A	No	No	No		DMLT	480	224	46.67	42.00	7.00	49.00	Council certificate date expired no bonafide certificate from 1st to 7th, Local Rejected	Council Certificate Rejected
91	401109	Yadavally malleshwar	Y jaggaiah	13/04/1993	Male	ST	No	No	No	MAHABOONAGAR	DMLT	480	227	47.29	42.56	5.00	47.56	council certificate incorrectly uploaded	Council Certificate Rejected
92	401110	Ramavath ajay	Rathya	15/08/1999	Male	ST	No	No	Yes	NALGONDA	DMLT	0	0	0.00	0.00	0.00	0.00	marks memo not submitted,,	Technical Certificate Rejected, Deleted due to Duplicate application
93	401119	SHEREEN SULTANA	MIRZA LAYAQ ALI BAIG	10/02/1994	Female	BC-E	No	No	Yes		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	0.00	No qualification certificates and no bonafide certificate from class 1st to 3rd,, Local Rejected	Technical Certificate Rejected
94	401126	ELURU PRASAD GOUD	E SAYA GOUD	18/01/1995	Male	BC-B	No	No	Yes	KAMAREDDY	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	0.00	NO Qualification-II Certificate,,	Technical Certificate Rejected
95	401145	BHUSARA DINESH TUKARAM	TUKARAM	06/04/1997	Male	OC	No	No	No		DMLT	0	0	0.00	0.00	0.00	0.00	all information was other state maharasta, Community Certificate Rejected, Local Rejected	Council Certificate Rejected, Technical Certificate Rejected
96	401152	KASI SIVA DURGA PRASAD	GANGADHAR	24/12/1998	Male	OC	No	No	No	OtherState	B.Sc. MLT	1350	828	61.33	55.20	2.00	57.20	all certificate in other state AP, Community Certificate Rejected	Council Certificate Rejected
97	401158	CHILUVERU SRAVAN KUMAR	VISHNUMOORTHY	19/09/1989	Male	BC-B	No	No	No	NALGONDA	Intermediate Vocational MLT Course	700	517	73.86	66.47	6.50	72.97	Wrong training and council certificate uploaded	Council Certificate Rejected, Training Certificate Rejected
98	401171	MOHD SAJID HUSSAIN	MOHD MUJEEB UL HUSSAIN	21/08/1985	Male	OC	No	No	Yes	HYDERABAD	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	0.00	No community, caste & MLT certificate,,LT Memo not clear, Caste not uploaded, Community Certificate Rejected	Technical Certificate Rejected
99	401202	P VEENA KUMARI	P LINGAMURTHY	22/06/1990	Female	SC	No	No	Yes	NIRMAL	B.Sc. MLT	0	0	0.00	0.00	0.00	0.00	No bonafide from 1st to 4th class and no qualification certificate,,	Technical Certificate Rejected
100	401246	BHARGAVI GADDAM KRISHNAMURTHY	KRISHNAMURTHY GADDAM	21/01/1993	Female	OC	No	No	No		B.Sc. MLT	0	0	0.00	0.00	0.00	0.00	ALL INFORMATION TO OTHER STATE MAHARASHTRA, Local Rejected	Council Certificate Rejected, Technical Certificate Rejected
101	401253	SREESHYLAM K	YADAI AH K	05/03/1988	Male	BC-D	No	No	No		DMLT	480	239	49.79	44.81	7.50	52.31	No bonafide from 1st to 5th class and council certificate date expired, Local Rejected	Council Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
102	401274	P YELLENDAR CHARY	Anjaneyulu	09/03/1991	Male	OC	No	No	No		Intermediate Vocational MLT Course	700	583	83.29	74.96	6.00	<b>80.96</b>	. SCHOOL CERTIFIATICES NOT ENCLOSED. 2. COUNCIL CERTIFICATE IS NOT CLEAR., Community Certificate Rejected, Local Rejected	Council Certificate Rejected
103	401306	PATNAM MANOHAR	PATNAM SRINIVAS	04/05/1987	Male	OC	No	No	No	SANGAREDDY	Intermediate Vocational MLT Course	700	495	70.71	63.64	8.00	<b>71.64</b>	Old caste enclosed, Intermediate Vocational MLT Course registration expired,, Community Certificate Rejected	Council Certificate Rejected
104	401319	NREDDY RAJ KUMAR	NREDDY RAMANAIAH	27/07/1991	Male	BC-D	No	No	Yes		DMLT	480	306	63.75	57.38	5.50	<b>62.88</b>	no bonafide 1st to5th, Local Rejected	Deleted due to Duplicate application
105	401361	Tekula Praveen reddy	Tekula janga Reddy	02/03/2001	Male	OC	No	No	Yes		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	no qualification certificate,, Local Rejected	Technical Certificate Rejected
106	401372	PULLOORI SURESH	SAMMAIAH	05/03/1994	Male	OC	No	No	No	KARIMNAGAR	B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	all certificate incorrectly uploaded,Pharmacy documents uploaded, Community Certificate Rejected	Council Certificate Rejected, Technical Certificate Rejected
107	401388	Bollam Lingaswamy	BIKSHAM	10/06/1989	Male	BC-D	No	No	No	NALGONDA	DMLT	480	291	60.63	54.57	7.00	<b>61.57</b>	Council certificate renewal required	Council Certificate Rejected
108	401398	A.naveenkumar	A Balakrishna	07/04/1996	Male	BC-D	No	No	No	MAHABOONBAGAR	Intermediate Vocational MLT Course	700	574	82.00	73.80	3.50	<b>77.30</b>	council certificate got expired.	Council Certificate Rejected
109	401404	BAKKA SAIDULU	BAKKA RAMULU	08/08/1995	Male	SC	No	No	No	KHAMMAM	DMLT	480	243	50.63	45.57	3.50	<b>49.07</b>	DMLT Registration not enclosed.	Council Certificate Rejected
110	401406	MOHAMMED ABDUL SAMI	MOHAMMED ABDUL GHANI	09/01/2002	Male	BC-E	No	No	No	HYDERABAD	Intermediate Vocational MLT Course	800	507	63.38	57.04	0.50	<b>57.54</b>	council and training certificates incorrectly uploaded	Council Certificate Rejected, Training Certificate Rejected
111	401407	KOPPARTHIRAJESH	LINGAIAH	19/10/1988	Male	OC	No	No	No	MANCHERIAL	DMLT	480	255	53.13	47.82	7.00	<b>54.82</b>	Caste certificate not enclosed, DMLT registration expired,, Community Certificate Rejected	Council Certificate Rejected
112	401422	H RAVI	CHINNA RAMUDU	19/03/1989	Male	SC	No	No	No	JOGULAMBA GADWAL	DMLT	480	274	57.08	51.37	0.00	<b>51.37</b>	SSC not enclosed in personal information, DMLT registration not enclosed,	Council Certificate Rejected
113	401436	CHOGONI SWAPNA	CHOGONI VENKATESHAM	21/05/1992	Female	OC	No	No	No	YADADRI BHONGIR	DMLT	480	228	47.50	42.75	5.50	<b>48.25</b>	old caste certificate enclosed, DMLT Registration expired,, Community Certificate Rejected	Council Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
114	401460	T BHAGYA LAXMI	T YASHWANTH	15/10/1986	Female	BC-B	No	No	No	SANGAREDDY	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	The individual has done MPHWF) course and applied for MLT, hence Invalid application,.	Council Certificate Rejected, Training Certificate Rejected, Technical Certificate Rejected
115	401468	NREDDY RAJKUMAR	NREDDY RAMANAIAH	27/07/1991	Male	BC-D	No	No	Yes	WARANGAL (URBAN)	Intermediate Vocational MLT Course	700	524	74.86	67.37	5.50	<b>72.87</b>		Deleted due to Duplicate application
116	401482	VEMPALLI PAVAN CHAITANYA	BHADRAIAH	12/06/1986	Male	SC	No	No	No	KHAMMAM	Intermediate Vocational MLT Course	700	468	66.86	60.17	8.50	<b>68.67</b>	intermediate Vocational MLT Course registration expired	Council Certificate Rejected
117	401513	SOUNDARYAKANDUGULA	KANDUGULA RAJIAH	04/01/1996	Female	SC	No	No	Yes	MANCHERIAL	Intermediate Vocational MLT Course	800	738	92.25	83.03	3.50	<b>86.53</b>	Clinical training not enclosed	Training Certificate Rejected
118	401520	B Santosh Kumar	B Ashok Kumar	10/11/1992	Male	OC	No	No	No	MEDCHAL	DMLT	480	240	50.00	45.00	5.00	<b>50.00</b>	AP caste & community certificate., Community Certificate Rejected	Council Certificate Rejected
119	401539	DANIYAKULA VINAY KUMAR	DANIYAKULA MALLAIAH	16/10/1999	Male	BC-D	No	No	No		DMLT	480	286	59.58	53.62	1.50	<b>55.12</b>	Council Registration & Bonafides from 1st to 6th not uploaded, Local Rejected	Council Certificate Rejected
120	401564	SYED SARTAZUDDIN	SYED SAJUDDIN	15/09/1988	Male	OC	No	No	No	MEDCHAL	B.Sc. MLT	2100	1024	48.76	43.88	7.00	<b>50.88</b>	Qualification-I Certificate not uploaded	Council Certificate Rejected
121	401574	MALIHA FATIMA	MOHAMMED ABDUL LATEEF	09/06/1999	Female	OC	No	No	No		B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	LT Memos and council registration not uploaded,, Local Rejected	Council Certificate Rejected, Technical Certificate Rejected
122	401577	MUSTI KAVITHA	M SHEKAR	18/02/1995	Male	BC-D	No	No	No	MAHABOBNAGAR	Intermediate Vocational MLT Course	700	599	85.57	77.01	4.00	<b>81.01</b>	Council Renewal and Apprenticeship certificate not attached	Council Certificate Rejected, Training Certificate Rejected
123	401581	Ballem Praveen	Ballem Chittibabu	21/08/1996	Male	SC	No	No	Yes	BHADRADRI KOTHAGUDEM	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	LT Memo not clear, Training Certificate not attached,.	Training Certificate Rejected, Technical Certificate Rejected
124	401605	PISHKA RAJU	PISHKA MURALI	10/01/1991	Male	OC	No	No	Yes	NALGONDA	B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	Caste certificate not clear, BSC MLT mark list not enclosed. ,, Community Certificate Rejected	Technical Certificate Rejected
125	401621	VANGA MADHAVA REDDY	VANGA SHANKAR REDDY	09/04/2000	Male	OC	No	No	Yes	SANGAREDDY	Intermediate Vocational MLT Course	800	638	79.75	71.78	0.00	<b>71.78</b>	SSC not clear, Apprenticeship certificate not attached	Training Certificate Rejected
126	401636	Gajre Mahesh	Gajre Tukaram	18/01/2001	Male	SC	No	No	Yes	SANGAREDDY	Intermediate Vocational MLT Course	800	680	85.00	76.50	1.00	<b>77.50</b>	Apprenticeship certificate not attached	Training Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
127	401646	Reshma begum	Late khaja moin uddij	15/01/2000	Female	BC-E	No	No	No		B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	LT registration not enclosed, 1 to 5 school bonafide not enclosed, LT marks list not enclosed., Local Rejected	Council Certificate Rejected, Technical Certificate Rejected
128	401653	MANDHA SWAPNA	MANDHA SHIVANNA	01/01/1989	Female	BC-D	No	No	No	SANGAREDDY	Intermediate Vocational MLT Course	700	572	81.71	73.54	7.00	<b>80.54</b>	Apprenticeship certificate not attached , Council Registration wrongly uploaded	Council Certificate Rejected, Training Certificate Rejected
129	401667	Mohammed Omer Farooq	Mohammed Maqbool	12/08/1999	Male	BC-B	No	No	Yes	SANGAREDDY	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	SSC, LT Memo not clear,,LT Marks not clear	Technical Certificate Rejected
130	401682	MADAVI SEETHARAM	MADAVI RAMCHAND	20/12/1990	Male	OC	No	No	Yes		DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	LT Memo not uploaded, Caste not clear,, Community Certificate Rejected, Local Rejected	Technical Certificate Rejected
131	401692	Palthi Chandar kumar	Palthi Devsingh	03/07/2000	Male	ST	No	No	No	NALGONDA	DMLT	480	291	60.63	54.57	1.00	<b>55.57</b>	TS Council Registration not attached	Council Certificate Rejected
132	401724	Martha sirisha	chandraiah	18/07/1997	Female	BC-B	No	No	No		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	School Bonafides and Council Renewal not uploaded,, Local Rejected	Council Certificate Rejected, Technical Certificate Rejected
133	401731	POTTI BHAGYAMMA	POTTI SANGAIAH	10/06/2000	Female	OC	No	No	No	SANGAREDDY	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	Council Registration, Caste and Date of Birth proof are not clear, LT Memo not uploaded ,, Community Certificate Rejected	Council Certificate Rejected, Technical Certificate Rejected
134	401745	AZARUDDIN MD	JALALUDDIN	04/02/1986	Male	BC-E	No	No	No		Intermediate Vocational MLT Course	700	479	68.43	61.59	8.50	<b>70.09</b>	council registration certificate & bonafide certificates from I to V, VII not submitted, Local Rejected	Council Certificate Rejected
135	401753	ALIGIRI SAHEB SHAVALI	JAHURUDDIN	17/06/1994	Male	OC	No	No	No		B.Sc. MLT	1350	776	57.48	51.73	4.50	<b>56.23</b>	AP Candidate, So certificates of AP Submitted, Community Certificate Rejected, Local Rejected	Council Certificate Rejected
136	401766	Gudipelly shobhan babu	Gudipelly somaiah	15/06/1997	Male	OC	No	No	Yes	JANGAON	Intermediate Vocational MLT Course	800	661	82.63	74.37	3.00	<b>77.37</b>	TS Caste Certificate & Apprenticeship certificate not attached, Community Certificate Rejected	Training Certificate Rejected
137	401777	Mohd. Kaleem fida	Mohd. Siddiqu	15/08/1982	Male	OC	No	No	No	SIDDIPET	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	TS Caste, Council Renewal not submitted, LT Memo not clear,, Community Certificate Rejected	Council Certificate Rejected, Technical Certificate Rejected
138	401794	ANIL AAGAPATI	ILAI AH	10/03/1986	Male	BC-B	No	No	No	WARANGAL (RURAL)	DMLT	480	245	51.04	45.94	8.50	<b>54.44</b>	TS Council Registration not attached	Council Certificate Rejected

## Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
139	401798	Sirisavada praveenkumar	Sirisavada Narsimha	10/08/2000	Male	BC-B	No	No	Yes	NALGONDA	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	DMLT mark list not enclosed.,.	Technical Certificate Rejected
140	401812	KARRI AJAY	KARRI VEERABABU	07/03/1998	Male	OC	No	No	No		B.Sc. MLT	1350	894	66.22	59.60	2.50	<b>62.10</b>	individual belongs to Ap , registration belongs to Ap, Bonafides not submitted, Local Rejected	Council Certificate Rejected
141	401827	KANNEVENI MANASA	KANNEVENI SUDHAKAR	04/06/1997	Female	BC-D	No	No	No	KOMARAM BHEEM ASIFABAD	Intermediate Vocational MLT Course	800	595	74.38	66.94	3.00	<b>69.94</b>	Council registration and Apprenticeship certificate not attached,LT Council registration not enclosed	Council Certificate Rejected
142	401828	MOHAMMAD AFRIN	MOHAMMAD ALI	10/07/1998	Female	BC-B	No	No	No		DMLT	480	292	60.83	54.75	2.00	<b>56.75</b>	TS Council Registration School Bonafides not attached, Local Rejected	Council Certificate Rejected
143	401832	PAMULA UDAY KUMAR	PAMULA GANGARAM	25/12/1990	Male	SC	No	No	No	ADILABAD	DMLT	480	237	49.38	44.44	0.00	<b>44.44</b>	SSC not clear, TS Council Registration not attached	Council Certificate Rejected
144	401837	BOLLEPALLI MADHU	VEERABABU	14/06/1994	Male	BC-D	No	No	Yes	SURYAPET	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	LT Memo not uploaded ,	Technical Certificate Rejected
145	401838	Cheruku.lingaswamy	Cheruku. Narsimha	03/08/1997	Male	BC-A	No	No	Yes	NALGONDA	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	LT Memo not uploaded.,.	Technical Certificate Rejected
146	401852	RAMANA P	SATHY NARAYANA	20/07/1985	Male	BC-A	No	No	No	NAGARKURNOOL	Intermediate Vocational MLT Course	700	413	59.00	53.10	8.50	<b>61.60</b>	Council certificate and training certificate not uploaded	Council Certificate Rejected, Training Certificate Rejected
147	401856	POILAPONGU SANDHYA	VEERIAH	06/12/2000	Female	SC	No	No	Yes	BHADRADRI KOTHAGUDEM	Intermediate Vocational MLT Course	800	748	93.50	84.15	1.00	<b>85.15</b>	Apprenticeship certificate not attached	Training Certificate Rejected, Deleted due to Duplicate application
148	401874	K SHANKAR NAIK	K RAMU NAIK	10/04/1993	Male	ST	No	No	No	MAHABOONNAGAR	Intermediate Vocational MLT Course	700	594	84.86	76.37	5.00	<b>81.37</b>	Apprenticeship certificate & TS Council Renewal not attached	Council Certificate Rejected, Training Certificate Rejected
149	401876	KOREKKA DEEPAK KUMAR	KOREKKA NARSAIAH	10/10/1996	Male	SC	No	No	Yes	NALGONDA	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	LT Memo not uploaded.,.	Technical Certificate Rejected
150	401889	M ERESH	M RANGANNA	01/06/1992	Male	OC	No	No	No		DMLT	480	230	47.92	43.13	5.50	<b>48.63</b>	I to VII Bonafides, TS Council Renewal & TS Caste Certificate not attached, Community Certificate Rejected, Local Rejected	Council Certificate Rejected
151	401898	ROHITH DASARI	JANARDHAN D	10/01/1998	Male	SC	No	No	No	HYDERABAD	Intermediate Vocational MLT Course	800	569	71.13	64.02	2.50	<b>66.52</b>	Training and council certificates not uploaded	Council Certificate Rejected, Training Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks					Remarks	Reason for Rejection	
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)			Total
152	401899	THANNERU BIXAM	NARAYANA	17/01/1995	Male	BC-A	No	No	No	SURYAPET	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	Council Certificate wrongly uploaded, LT memo not uploaded ,.	Council Certificate Rejected, Technical Certificate Rejected
153	401939	MD RIAZ AHMED	GOUSE	24/07/1984	Male	BC-B	No	No	Yes	NALGONDA	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	LT Memo not clear,.	Technical Certificate Rejected
154	401950	KAKKERLA VENKATESH	KAKKELRA POSHLU	10/08/1996	Male	OC	No	No	No	WARANGAL (RURAL)	Intermediate Vocational MLT Course	800	536	67.00	60.30	0.00	<b>60.30</b>	SSC, Caste and council Registration not clear, Community Certificate Rejected	Council Certificate Rejected
155	401989	DONGRI RUSHESHWAR	DONGRI PAIKAN	07/07/1995	Male	OC	No	No	No	KOMARAM BHEEM ASIFABAD	Intermediate Vocational MLT Course	700	420	60.00	54.00	3.50	<b>57.50</b>	TS Caste and TS Council Registration not uploaded, Community Certificate Rejected	Council Certificate Rejected
156	401990	Y VASU KUMAR	MAREPPA	11/03/1999	Male	ST	No	No	No	NARAYANAPET	DMLT	480	296	61.67	55.50	2.00	<b>57.50</b>	LT registration not enclosed,	Council Certificate Rejected
157	401992	BANDI BHARATH KUMAR	BANDI BALAKRISHNA	23/04/2000	Male	BC-D	No	No	Yes	YADADRI BHONGIR	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	LT Memo not clear,,LT Memo not clear	Technical Certificate Rejected
158	401996	KEESARI MAHIPAL	KEESARI NARAGOUD	04/09/1989	Male	BC-B	OH	No	No	SIDDIPET	B.Sc. MLT	1350	815	60.37	54.33	6.50	<b>60.83</b>	TS Council Renewal not attached	Council Certificate Rejected
159	402019	SILUVERU PRIYANKA	SILUVERU PRAKASH	12/05/1994	Female	OC	No	No	No	WARANGAL (URBAN)	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	TS Caste not submitted, Council registration of Pharmacist uploaded, LT Memo not uploaded ,, Community Certificate Rejected	Council Certificate Rejected, Training Certificate Rejected, Technical Certificate Rejected
160	402027	SHEELAM MEGHANA	MALLAIAH	17/04/1986	Female	SC	No	No	No	SIDDIPET	Intermediate Vocational MLT Course	700	493	70.43	63.39	8.50	<b>71.89</b>	MLT registration not enclosed and father name not match in caste certificate	Council Certificate Rejected
161	402029	POTHOLLA MALLESH	BANGARAIHAH	15/07/1996	Male	SC	No	No	Yes		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	School bonafide not enclosed, Intermediate Vocational MLT Course mark list not enclosed,, Local Rejected	Technical Certificate Rejected
162	402072	ALIGE RAMESH KUMAR	ALIGE SANGAIAH	12/04/1992	Male	SC	No	No	No	SANGAREDDY	DMLT	480	299	62.29	56.06	5.50	<b>61.56</b>	TS Council Registration not attached	Council Certificate Rejected
163	402076	ramachandrapunaveen	sudhakar rao	13/06/1993	Male	OC	No	No	No	SURYAPET	Intermediate Vocational MLT Course	700	585	83.57	75.21	5.00	<b>80.21</b>	TS Council Renewal not attached	Council Certificate Rejected
164	402078	NARRA SPANDANA	NARRA VEERESH	23/02/1996	Female	BC-D	No	No	No	MEDCHAL	Intermediate Vocational MLT Course	800	600	75.00	67.50	3.50	<b>71.00</b>	TS Council Renewal not attached	Council Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
165	402082	SRINIVAS GALI	ANJIAH G	16/08/1987	Male	SC	No	No	Yes	KARIMNAGAR	Intermediate Vocational MLT Course	700	432	61.71	55.54	7.50	63.04		Deleted due to Duplicate application
166	402093	ASRA MEHJABEEN	NIZAMUDDIN MD ASIF	06/01/1997	Female	OC	No	No	Yes	HYDERABAD	Intermediate Vocational MLT Course	800	538	67.25	60.53	3.00	63.53	Apprenticeship certificate not attached	Training Certificate Rejected
167	402103	RAVULA SRINIVAS	RAVULA SHANKARAIHAH	12/06/1987	Male	SC	No	No	No		DMLT	480	203	42.29	38.06	8.00	46.06	Council registration & School bonafides not enclosed, Local Rejected	Council Certificate Rejected
168	402105	S SREENAIAH	S KRISHNAIAH	12/06/1987	Male	BC-B	No	No	No	NAGARKURNOOL	DMLT	480	222	46.25	41.63	8.00	49.63	TS Council Registration not clear	Council Certificate Rejected
169	402118	VPRAVEENKUMARREDDY	VTHIRUPATHIREDDY	10/01/1989	Male	OC	No	No	No	RANGAREDDY	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	0.00	Qualification II certificate not clear, birth certificate & council certificate not uploaded,.	Council Certificate Rejected, Technical Certificate Rejected
170	402121	DASARI JHANSI	DASARI DEVENDRA	02/01/2001	Female	SC	No	No	Yes	RANGAREDDY	Intermediate Vocational MLT Course	800	752	94.00	84.60	1.00	85.60	Apprenticeship certificate not attached	Training Certificate Rejected
171	402135	DUDAPAKA SATHISH	DUDAPAKA ELLAIAH	11/12/1991	Male	SC	No	No	Yes	PEDDAPALLI	B.Sc. MLT	1350	797	59.04	53.14	5.50	58.64		Deleted due to Duplicate application
172	402138	K ANIL KUMAR	K MALLESH	04/11/1988	Male	SC	No	No	Yes	HYDERABAD	DMLT	480	236	49.17	44.25	7.00	51.25		Deleted due to Duplicate application
173	402140	Cincheti Anitha	Cincheti Anjaiah	28/07/2002	Female	SC	No	No	No		Intermediate Vocational MLT Course	800	726	90.75	81.68	0.00	81.68	Apprenticeship certificate, School Bonafides I to V & TS Council Registration not attached, Local Rejected	Council Certificate Rejected, Training Certificate Rejected
174	402179	DASU CHANDANA	DASU KRISHNA	21/03/1998	Female	OC	No	No	No	WARANGAL (URBAN)	DMLT	480	285	59.38	53.44	2.50	55.94	TS caste certificate and TS Council registration not enclosed, Community Certificate Rejected	Council Certificate Rejected
175	402184	NEELIMA PENDYALA	KRISHNAMURTHY	15/08/1988	Female	OC	No	No	No		B.Sc. MLT	1350	974	72.15	64.94	7.00	71.94	AP Candidate (Other state), Community Certificate Rejected, Local Rejected	Council Certificate Rejected
176	402191	Sarikonda Chiranjeevi-	Sarikonda Ramulu	28/07/1993	Male	SC	No	No	No	KHAMMAM	DMLT	480	223	46.46	41.81	4.50	46.31	TS Council Registration of LT not attached	Council Certificate Rejected
177	402202	pathlavathnaveen	keshya	12/08/1993	Male	ST	No	No	Yes	NAGARKURNOOL	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	0.00	LT Memo not clear,.	Technical Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks					Remarks	Reason for Rejection	
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)			Total
178	402222	Pendam Dinesh	Pendam shankar	02/06/1993	Male	SC	No	No	Yes		DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	Qualification-I&II memos not clear, 1st to 5th bonafide not enclosed,, Local Rejected	Technical Certificate Rejected
179	402265	GUNTOJU SNEHA	GUNTOJU SATHYAM	27/02/1996	Female	BC-B	No	No	No	YADADRI BHONGIR	DMLT	480	241	50.21	45.19	3.50	<b>48.69</b>	council registrtration certificate not submitted,	Council Certificate Rejected, Deleted due to Duplicate application
180	402284	Pujari srujana	P satyanarayana	05/06/1988	Female	BC-D	No	No	Yes	BHADRADRI KOTHAGUDEM	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	council registration certificate not submitted; LT Memo not clear,,LT not uploaded	Technical Certificate Rejected
181	402292	INAPANURI SWATHI SREE	INAPANURI NAGESWARA RAO	01/01/1992	Female	SC	No	No	No	KHAMMAM	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	TS Council Registration of LT, Apprenticeship certificate not attached ,LT Memo not uploaded	Council Certificate Rejected, Training Certificate Rejected, Technical Certificate Rejected
182	402365	Gunda Pranay kumar	Shsnkar	15/06/1993	Male	ST	No	No	Yes	MANCHERIAL	Intermediate Vocational MLT Course	700	384	54.86	49.37	5.00	<b>54.37</b>		Deleted due to Duplicate application
183	402385	ANDE SRAVANTHI	ANDE LINGAM	03/06/1993	Female	BC-B	No	No	Yes	KAMAREDDY	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	ssc and DMLT memos not enclosed	Technical Certificate Rejected
184	402390	BEGARI RAJENDAR	B PARMAIAH	03/06/1991	Male	SC	No	No	No		DMLT	480	254	52.92	47.63	6.00	<b>53.63</b>	council registration certificate expired, bonafide certificate for three years only submitted, Local Rejected	Council Certificate Rejected
185	402408	KONDA VEERANNA	KONDA SRINIVASA RAO	03/04/1989	Male	BC-B	No	No	No	KHAMMAM	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	MLT registration expired and MLT marks memo not clear,.	Council Certificate Rejected, Technical Certificate Rejected
186	402411	GOPA VIKAS	GOPA GURUDAS	15/09/1999	Male	BC-B	No	No	Yes		DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	bonafide certificate from 1st to 4th class not submitted, MLT marks memo not submitted, Local Rejected	Technical Certificate Rejected
187	402415	Ramavath ajay	Rathya	15/08/1999	Male	ST	No	No	Yes	NALGONDA	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	marks memo not enclosed	Technical Certificate Rejected
188	402418	Kyatham ashwini	Kyarham sailoo	20/04/1994	Female	SC	No	No	Yes		Intermediate Vocational MLT Course	700	521	74.43	66.99	4.50	<b>71.49</b>	incomplet bonafides and traning certificate not inclosed, Local Rejected	Training Certificate Rejected, Deleted due to Duplicate application
189	402429	GUNDE JAGAN	GUNDE NARSIMHA	06/02/1986	Female	SC	No	No	Yes	RANGAREDDY	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	MLT marks memo not inclosed	Technical Certificate Rejected



## Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
190	402454	SIRIKANTI SUSMITHA	SIRIKANTI GANGARAM	12/03/1997	Female	BC-D	No	No	No	NIZAMABAD	DMLT	480	356	74.17	66.75	3.00	69.75	Council certificate date expired	Council Certificate Rejected
191	402457	BANGARAPU SEENIVAS	VEERA BRAHAMA CHARY	03/06/1984	Male	BC-B	No	No	No	SURYAPET	Intermediate Vocational MLT Course	700	481	68.71	61.84	0.00	61.84	ssc, traning certificate not enclosed and registration expired	Council Certificate Rejected, Training Certificate Rejected
192	402466	JATOTH ROJA	HANJA	06/05/2000	Female	ST	No	No	No	RANGAREDDY	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	0.00	council registration certificate not submitted,LT Memo not uploaded	Council Certificate Rejected, Technical Certificate Rejected
193	402495	MADHUNALA SOWJANYA	MADHUNALA SURYANARAYANA	16/07/1999	Female	BC-B	No	No	No	SANGAREDDY	B.Sc. MLT	1000	910	91.10	81.99	1.50	83.49	council registration certificate not submitted, MLT marks memo not submitted,LT Memos not uploaded	Council Certificate Rejected
194	402504	PANUGANTI RAMESH	PANUGANTI BALAMASHAIAH	07/08/1995	Male	SC	No	No	Yes		Intermediate Vocational MLT Course	800	556	69.50	62.55	0.00	62.55	birth certificate is not visible,bonafide certificate from 1st to 5th class ,Training certificate,ssc marks memo not submitted, Local Rejected	Training Certificate Rejected, Deleted due to Duplicate application
195	402505	VOOKE RADHA RUKMINI	VOOKE RAGHAVENDRA RAO	02/04/1998	Female	ST	No	No	No	BHADRADRI KOTHAGUDEM	B.Sc. MLT	0	0	0.00	0.00	0.00	0.00	MLt certificate not enclosed,GNM memos uploaded	Council Certificate Rejected, Technical Certificate Rejected
196	402506	Bamandlapelli Ravi Kumar	Rajaiah	07/05/1992	Male	BC-A	No	No	No	KARIMNAGAR	Intermediate Vocational MLT Course	700	528	75.43	67.89	5.50	73.39	council registration certificate expired	Council Certificate Rejected
197	402535	THATIKAYALA VIJAYKUMAR	Bhasker	31/08/1991	Male	SC	No	No	Yes	JANGAON	B.Sc. MLT	0	0	0.00	0.00	0.00	0.00	BSC Marks memo not enclosed,.	Technical Certificate Rejected
198	402543	VANKUDOTH ANITHA	VANKUDOTH KUNYA	10/09/1995	Female	ST	No	No	No	MAHABUBABAD	DMLT	480	279	58.13	52.32	3.50	55.82	council registration certificate expired,	Council Certificate Rejected
199	402544	katravath kiran kumar	katravath sakru	04/05/2000	Male	OC	No	No	No		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	0.00	ommunity , SSC and Intermediate Vocational certificate not clear,, Community Certificate Rejected, Local Rejected	Council Certificate Rejected, Training Certificate Rejected, Technical Certificate Rejected
200	402616	P RAMESH NAIK	KOTI NAIK	16/12/1992	Male	ST	No	No	No	NAGARKURNOOL	DMLT	0	0	0.00	0.00	0.00	0.00	Qualification certificate incorrectly uploaded	Council Certificate Rejected, Technical Certificate Rejected
201	402623	Saikumar. Gajam	Srinivas	12/09/1991	Male	BC-B	No	No	Yes	JAGTIAL	DMLT	0	0	0.00	0.00	0.00	0.00	MLT marks memo not submitted,LT marks memo not submitted	Technical Certificate Rejected
202	402670	CHOWDARAM NARESH	CHOWDARAM RAJAMALLU	04/05/1991	Male	SC	No	No	Yes	SIDDIPET	Intermediate Vocational MLT Course	700	573	81.86	73.67	6.00	79.67		Deleted due to Duplicate application

## Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
203	402675	BOLLE SREEKANTH	VENKANNA	02/06/1996	Male	SC	No	No	Yes	SURYAPET	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	incomplet certificate of MLT	Technical Certificate Rejected, Deleted due to Duplicate application
204	402676	DESHETTI SANDHYA	DESHETTI RAMULU	08/07/1992	Female	BC-D	No	No	No	SIDDIPET	B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	MLT certificate not enclosed,.	Council Certificate Rejected, Technical Certificate Rejected
205	402705	DAVATH SANDEEP KUMAR	DAVATH RANGAIAH	15/02/1991	Male	OC	No	No	Yes	SIDDIPET	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Community ,qualifications certificates incorrectly uploaded,LT Memo not clear, Community Certificate Rejected	Technical Certificate Rejected
206	402737	Jakata sandhya	Jakata bikshapathi	13/06/1994	Female	SC	No	No	Yes		Intermediate Vocational MLT Course	700	497	71.00	63.90	4.50	<b>68.40</b>	Training of Pvt Hospital attached , Local Rejected	Training Certificate Rejected
207	402738	Baikadi gnaneshwar	baikadi bhagndher	02/08/2002	Male	BC-A	No	No	Yes	KAMAREDDY	Intermediate Vocational MLT Course	800	705	88.13	79.32	0.00	<b>79.32</b>	Training certificate wrong uploaded	Training Certificate Rejected
208	402742	Bhukya. Bhagyalaxmi	B. Ramu	09/05/2000	Female	ST	No	No	Yes	BHADRADRI KOTHAGUDEM	Intermediate Vocational MLT Course	800	590	73.75	66.38	1.50	<b>67.88</b>	Training certificate wrong uploaded	Training Certificate Rejected
209	402779	BELLAMKONDA RENUKA	VENKAIAH	10/03/1992	Female	BC-B	No	No	Yes	SURYAPET	Intermediate Vocational MLT Course	700	575	82.14	73.93	5.50	<b>79.43</b>	Caste in Husbands name, Clinical training not enclosed, Intermediate Vocational MLT Course mark list not clear.	Training Certificate Rejected
210	402816	YEDIGI YOGESHWER	YEDIGI SAIGONDA	30/11/1996	Male	OC	No	No	No		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Community and council certificates incorrectly uploaded,Qualification 2 marks memo missing,, Community Certificate Rejected, Local Rejected	Council Certificate Rejected, Technical Certificate Rejected
211	402825	Akbar Mohammad	Ahmed	10/06/1986	Male	BC-B	No	No	No	JANGAON	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Intermediate Vocational MLT Course registration expired, Intermediate Vocational MLT Course mark list not clear,.	Council Certificate Rejected, Technical Certificate Rejected
212	402857	SUNKARI RANI	POCHIAIAH	21/04/1989	Female	OC	No	No	Yes	NIZAMABAD	DMLT	480	251	52.29	47.06	7.00	<b>54.06</b>	father name in community certificate incorrectly uploaded, Community Certificate Rejected	Deleted due to Duplicate application

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
213	402893	KADABOINA RAJU	K BALAIAH	15/06/1996	Male	BC-D	No	No	No	JANGAON	Intermediate Vocational MLT Course	700	612	87.43	78.69	3.50	<b>82.19</b>	Council certificate date expired	Council Certificate Rejected
214	402896	M ANITHA	M ANJANEYULU	30/08/1997	Female	BC-D	No	No	Yes	MAHABOONAGAR	B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	Qualification 2 certificate incorrectly uploaded,.	Technical Certificate Rejected
215	402906	BETHI KAVITHA	POSHAM	19/04/1983	Female	SC	No	No	No	KARIMNAGAR	Intermediate Vocational MLT Course	800	607	75.88	68.29	10.00	<b>78.29</b>	Council certificate date expired	Council Certificate Rejected
216	402915	ORSU PREMALATHA	ORSU RAJU	04/05/1996	Female	BC-A	No	No	No	JANGAON	Intermediate Vocational MLT Course	700	608	86.86	78.17	3.50	<b>81.67</b>	Council certificate date expired	Council Certificate Rejected
217	402925	JAKATA ARUNA	JAKATA BHIKSHAPATHI	20/03/1992	Female	OC	No	No	Yes	MEDCHAL	Intermediate Vocational MLT Course	700	582	83.14	74.83	5.50	<b>80.33</b>	Old caste certificate enclosed, MLT training done in private institution, 1 to 5 School bonafide not enclosed, Community Certificate Rejected	Training Certificate Rejected
218	402942	Narsing amani	Narsing Shankaraiah	06/08/1994	Female	OC	No	No	No	RANGAREDDY	B.Sc. MLT	1350	867	64.22	57.80	4.00	<b>61.80</b>	Community and council certificates uploaded incorrectly, Community Certificate Rejected	Council Certificate Rejected
219	402951	BOLLE SREEKANTH	VENKANNA	02/06/1996	Male	SC	No	No	Yes	SURYAPET	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	No qualification certificate	Technical Certificate Rejected
220	402958	MD KHALEEL	MD CHAND PASHA	21/03/1998	Male	BC-B	No	No	Yes	WARANGAL (URBAN)	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	not enclosed 1-3 bonafide and MLT MARKS ARE NOT VISIBLE,.	Technical Certificate Rejected
221	402972	NUKALA AJAY	NUKALA LAXMAN	10/05/2000	Male	BC-B	No	No	Yes	NIZAMABAD	Intermediate Vocational MLT Course	800	629	78.63	70.77	1.50	<b>72.27</b>	training certificate not enclosed	Training Certificate Rejected
222	403006	Eaka.shivakrishna	Eaka.sammaiah	22/03/1994	Male	ST	No	No	No	MAHABUBABAD	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Certificates not clear,,ExServicemen Certificate, Council Certificate not uploaded; MLT Marks Memo not clear	Council Certificate Rejected, Technical Certificate Rejected
223	403013	KANDURI NIKITHA	KANDURI CHENNAIAH	06/01/2001	Female	BC-A	No	No	Yes	HYDERABAD	Intermediate Vocational MLT Course	800	531	66.38	59.74	1.00	<b>60.74</b>	Wrong training certificate and qualification certificate,LT Memo not uploaded,Training Certificate not uploaded	Training Certificate Rejected
224	403028	YALAM NAVEEN KUMAR	NARSIMHA RAO	10/05/2001	Male	ST	No	No	No	MULUGU	Intermediate Vocational MLT Course	800	650	81.25	73.13	1.00	<b>74.13</b>	Council and Training certificates incorrectly uploaded	Council Certificate Rejected, Training Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks					Remarks	Reason for Rejection	
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)			Total
225	403039	CHINTHAKINDI MAMATHA	CHINTHAKINDI SAIDULU	16/07/1999	Female	OC	No	No	No	RANGAREDDY	DMLT	480	260	54.17	48.75	0.00	<b>48.75</b>	SSC in personal information not clear, Caste not clear, DMLT registration not clear,, Community Certificate Rejected	Council Certificate Rejected
226	403050	Kota Satish Kumar	Kota Sailu	10/04/2000	Male	BC-B	No	No	No	SANGAREDDY	Intermediate Vocational MLT Course	800	577	72.13	64.92	1.50	<b>66.42</b>	Training certificate not uploaded	Council Certificate Rejected, Training Certificate Rejected
227	403051	JARAPLA MAHESH	JARAPLA MANSINGH	19/06/2000	Male	ST	No	No	Yes	VIKARABAD	Intermediate Vocational MLT Course	800	680	85.00	76.50	1.50	<b>78.00</b>	Training certificates uploaded incorrectly	Training Certificate Rejected
228	403098	Manda Hemanth Kumar	Manda nagaiah	04/04/1997	Male	OC	No	No	No	OtherState	B.Sc. MLT	1350	872	64.59	58.13	3.00	<b>61.13</b>	Old caste, BSC MLT Registration not clear,, Community Certificate Rejected	Council Certificate Rejected
229	403114	S RAMESH	S GOPAL RAO	10/06/1987	Male	ST	No	No	No	BHADRADRI KOTHAGUDEM	Intermediate Vocational MLT Course	700	488	69.71	62.74	8.00	<b>70.74</b>	Council certificate date expired	Council Certificate Rejected
230	403121	Mudavath Jyothi	M Seethya	18/08/1995	Female	OC	No	No	Yes	MAHABOONBAGAR	Intermediate Vocational MLT Course	700	401	57.29	51.56	3.50	<b>55.06</b>	No caste, No Clinical training,, Community Certificate Rejected	Training Certificate Rejected
231	403142	THEEGALA DIVYA	THEEGALA RAJAGOUND	15/01/1998	Female	BC-B	No	No	Yes	NIZAMABAD	Intermediate Vocational MLT Course	800	642	80.25	72.23	2.50	<b>74.73</b>	qualification 2 blur image and training certificate not upload successfully	Training Certificate Rejected
232	403148	KASTHURI KAVYA	GANGADHAR	13/09/2001	Female	BC-B	No	No	Yes	KAMAREDDY	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Qualification certificate blur image and training certificate wrong uploaded,,	Training Certificate Rejected, Technical Certificate Rejected
233	403186	DUDEKULA WAJEED	TAJODDIN	06/02/2002	Male	BC-B	No	No	Yes	SANGAREDDY	Intermediate Vocational MLT Course	800	618	77.25	69.53	0.00	<b>69.53</b>	SSC and training certificate are not enclosed.	Training Certificate Rejected
234	403202	PULUGUJJA ASHWINI	VENKANNA	09/10/1996	Female	OC	No	No	Yes	MAHABUBABAD	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	old caste, Intermediate Vocational MLT Course mark list not clear,, Community Certificate Rejected	Technical Certificate Rejected
235	403212	INDARAPU DEEPIKA	INDARAPU MALLESH	28/10/2001	Female	BC-A	No	No	Yes	MANCHERIAL	Intermediate Vocational MLT Course	800	510	63.75	57.38	0.50	<b>57.88</b>	Uploaded others Training certificate	Training Certificate Rejected
236	403224	VENKATESH	GOPAL	11/07/2001	Male	OC	No	No	Yes	SANGAREDDY	Intermediate Vocational MLT Course	800	705	88.13	79.32	0.50	<b>79.82</b>	No caste, No Clinical training,, Community Certificate Rejected	Training Certificate Rejected
237	403241	VANNAKARI ANIL KUMAR	VANNAKARI ASHOK	14/02/1998	Male	BC-D	No	No	Yes	VIKARABAD	Intermediate Vocational MLT Course	800	668	83.50	75.15	2.50	<b>77.65</b>	aining certificate incorrectly uploaded	Training Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks					Remarks	Reason for Rejection	
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)			Total
238	403247	CHEPYALA RAVALI	SAILU	20/03/2001	Female	SC	No	No	Yes	KAMAREDDY	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	0.00	Qualification and training certificates not clear,,	Training Certificate Rejected, Technical Certificate Rejected
239	403271	Mohammed Habeeb Ur Rahman	Mohammed Abdul Shukoor	25/08/1983	Male	BC-E	No	No	Yes	SIDDIPET	DMLT	0	0	0.00	0.00	0.00	0.00	Qualification 2 marks memo not enclosed	Technical Certificate Rejected
240	403292	TARUMANI NAGABHADRACHARY	T NAGASANKARACHARY	06/07/1988	Male	OC	No	No	No	KHAMMAM	DMLT	480	254	52.92	47.63	7.00	54.63	Council certificate date expired and community and birth certificate of AP, Community Certificate Rejected	Council Certificate Rejected
241	403293	Balakrishna Mogili	Babu	24/08/1988	Male	ST	No	No	No	KHAMMAM	DMLT	480	241	50.21	45.19	7.00	52.19	council registration certificate expired	Council Certificate Rejected
242	403302	kare varsha	NANDAKISHORE	11/12/1989	Female	OC	No	No	Yes	SANGAREDDY	B.Sc. MLT	0	0	0.00	0.00	0.00	0.00	community certificate of Telangana not submitted,ALL LT Memos not uploaded, Community Certificate Rejected	Technical Certificate Rejected
243	403318	SARIKONDA NIVEDITHA	SARIKONDA NAGESHWAR RAO	26/02/2000	Female	BC-A	No	No	Yes	HYDERABAD	Intermediate Vocational MLT Course	800	536	67.00	60.30	1.50	61.80	training certificate not submitted	Training Certificate Rejected
244	403341	G JAYARAMUDU	G KARREPPA	18/08/2001	Male	BC-A	No	No	Yes		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	0.00	Bonafide/school certificate not submitted and marks memo not clear,, Local Rejected	Technical Certificate Rejected
245	403366	CHEGUNTA SRILEKHA	CHEGUNTA VENKATESH	22/12/2001	Female	BC-A	No	No	Yes	NIZAMABAD	Intermediate Vocational MLT Course	800	645	80.63	72.57	0.50	73.07	No original certificates uploaded of qualification	Training Certificate Rejected
246	403383	MANDA NARESH	MANDA MAISAIAH	05/06/1995	Male	SC	No	No	No		Intermediate Vocational MLT Course	700	552	78.86	70.97	4.00	74.97	Council certificate date expired and wrong training certificate uploaded, Local Rejected	Council Certificate Rejected, Training Certificate Rejected
247	403385	Aparna M	Rajeshwara Rao	02/05/1984	Female	BC-D	No	No	Yes	MEDCHAL	DMLT	0	0	0.00	0.00	0.00	0.00	Qualification certificate incorrectly uploaded,LT mark list not enclosed.	Technical Certificate Rejected
248	403387	GOTTUMUKKULA RAJITHA	RAJAIAH	12/02/1987	Female	SC	No	No	Yes	KAMAREDDY	Intermediate Vocational MLT Course	700	511	73.00	65.70	8.00	73.70	training certificate not submitted	Training Certificate Rejected
249	403398	Mudavath.santhosh	M.durgya	06/06/1999	Male	ST	No	No	Yes	MEDAK	DMLT	0	0	0.00	0.00	0.00	0.00	MLT marks memo not submitted	Technical Certificate Rejected
250	403411	KAVALI NARESH	KAVALI JANGAIAH	15/10/1990	Male	SC	No	No	No	VIKARABAD	DMLT	480	225	46.88	42.19	6.00	48.19	Council certificate date expired	Council Certificate Rejected
251	403422	SR SAMSON	SS RAJULU	17/10/1986	Male	BC-C	No	No	Yes	MAHABOONAGAR	Intermediate Vocational MLT Course	700	439	62.71	56.44	8.00	64.44		Deleted due to Duplicate application

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
252	403442	RAJESH KANDAGATLA	KUMARASWAMY	19/02/1984	Male	OC	No	No	No	WARANGAL (RURAL)	DMLT	480	286	59.58	53.62	9.50	63.12	community certificate and council registration certificate not submitted, Community Certificate Rejected	Council Certificate Rejected
253	403466	NEELAM BHASKAR	NEELAM SAMPATH	14/06/1997	Male	BC-D	No	No	Yes	KARIMNAGAR	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	0.00	Clinical training in private institute, Intermediate Vocational MLT Course mark list not enclosed,.	Training Certificate Rejected, Technical Certificate Rejected
254	403471	B.Sudhakar	B.Ashaiah	25/12/1989	Male	SC	No	No	No		DMLT	480	244	50.83	45.75	6.50	52.25	Council certificate date expired, Local Rejected	Council Certificate Rejected
255	403497	Budaram Salomon	Budaram bakkaiah	14/06/1991	Male	SC	No	No	No	SANGAREDDY	Intermediate Vocational MLT Course	800	577	72.13	64.92	6.00	70.92	Council and training certificates uploaded incorrectly	Council Certificate Rejected, Training Certificate Rejected
256	403511	CHIKATI RAJASHEKHAR	CH NARAYANA	12/04/2002	Male	BC-D	No	No	No	KAMAREDDY	Intermediate Vocational MLT Course	800	761	95.13	85.62	0.50	86.12	Council certificate image is not clear	Council Certificate Rejected
257	403544	Mohd.Moizali	Mohd.yousuf ali	01/01/1998	Male	OC	No	No	Yes	SANGAREDDY	DMLT	0	0	0.00	0.00	0.00	0.00	PH Certificate not uploaded, Community Certificate Rejected, PH Rejected	Technical Certificate Rejected
258	403584	Banavath Tara bai	Banavath Chathri naik	02/08/1991	Female	OC	No	No	No	VIKARABAD	DMLT	480	287	59.79	53.81	5.50	59.31	Council certificate not clear and father name in caste not match, Community Certificate Rejected	Council Certificate Rejected
259	403590	Munjam Siddartha	Munjam Ashok	08/09/1996	Male	SC	No	No	Yes	KOMARAM BHEEM ASIFABAD	Intermediate Vocational MLT Course	800	709	88.63	79.77	3.00	82.77		Deleted due to Duplicate application
260	403608	DHANLA SRINIVAS	DHANLA LAXMAN	06/04/1999	Male	BC-A	No	No	Yes	NIRMAL	DMLT	0	0	0.00	0.00	0.00	0.00	DMLT mark list not enclosed,	Technical Certificate Rejected
261	403615	Annevoina gundaiah	Narsimlu	02/04/1997	Male	BC-D	No	No	Yes		Intermediate Vocational MLT Course	800	592	74.00	66.60	3.00	69.60	BONAFIDE NOT UPLOADED, Local Rejected	Training Certificate Rejected
262	403652	BADAVATH RAJITHA	BADAVATH RAMJINAIK	05/09/1995	Female	ST	No	No	No		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	0.00	Training and qualification 2 certificates incorrectly uploaded,., Local Rejected	Council Certificate Rejected, Training Certificate Rejected, Technical Certificate Rejected
263	403654	MUNIAGALA RANJTHKUMAR	MUNIGALA VENKATESHAM	10/08/1991	Male	BC-B	No	No	No	MEDAK	DMLT	0	0	0.00	0.00	0.00	0.00	Council registration certificate expired and MLT marks memo not submitted	Council Certificate Rejected, Technical Certificate Rejected
264	403660	Mohd Hasnuddin	Abdul Qader	24/06/1995	Male	BC-E	No	No	Yes	NARAYANAPET	DMLT	0	0	0.00	0.00	0.00	0.00	Qualification cetificate 2 marks memo missing	Technical Certificate Rejected

## Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
265	403664	S YADAAIAH	S NARSIMULU	01/05/1991	Male	SC	No	No	Yes	SANGAREDDY	DMLT	0	0	0.00	0.00	0.00	0.00	Qualification certificate 2 marks memo missing	Technical Certificate Rejected
266	403683	REPALLE TEJA	R PRABHAKAR	10/08/1993	Male	SC	No	No	Yes		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	0.00	Qualification certificate 2 blur uploaded,, Local Rejected	Technical Certificate Rejected
267	403696	B ANJANEYULU	BALASWAMY	20/06/1985	Male	BC-B	No	No	No	MAHABOONNAGAR	Intermediate Vocational MLT Course	700	471	67.29	60.56	9.00	69.56	Council certificate date expired	Council Certificate Rejected
268	403719	Jangala Saidulu	Jangala Pullaiah	07/07/1993	Male	BC-D	No	No	Yes	KHAMMAM	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	0.00	No SSC in personal information, No Ex-serviceman certificate,.	Technical Certificate Rejected
269	403720	Rahul bairwa	Hariya ram bairwa	20/05/1999	Male	OC	No	No	No	OtherState	DMLT	0	0	0.00	0.00	0.00	0.00	Caste certificate from Rajasthan, No Telangana DMLT registration, DMLT mark list incomplete,, Community Certificate Rejected	Council Certificate Rejected, Technical Certificate Rejected
270	403740	Aari praveen	Aari bala Durgaiah	22/05/2000	Male	BC-A	No	No	No	SIDDIPET	DMLT	0	0	0.00	0.00	0.00	0.00	Council certificate incorrectly uploaded and qualification certificates blur	Council Certificate Rejected, Technical Certificate Rejected
271	403780	dhanavath thullasi	dhanavath saida	10/08/1995	Female	ST	No	No	No	NALGONDA	B.Sc. MLT	0	0	0.00	0.00	0.00	0.00	Council certificate and qualification certificate uploaded incorrectly,.	Council Certificate Rejected, Technical Certificate Rejected, Deleted due to Duplicate application
272	403786	Neema Negi	Himmat Singh Negi	24/04/1996	Female	OC	No	No	No		B.Sc. MLT	10	7	79.60	71.64	3.50	75.14	Council and school certificate uploaded incorrectly,CGPA System, Local Rejected	Council Certificate Rejected
273	403797	SHIVAKUMAR SINGADASARI	SWAMI	10/04/1986	Male	SC	No	No	No	KARIMNAGAR	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	0.00	COUNCIL REGISTRATION CERTIFICATE OF TELANGANA NOT SUBMITTED marks memo not clear,.	Council Certificate Rejected, Technical Certificate Rejected
274	403831	ADEM NARESH	CHANDRAIAH	21/06/1997	Male	BC-D	No	No	Yes		DMLT	0	0	0.00	0.00	0.00	0.00	No Qualification certificate uploaded, Local Rejected	Technical Certificate Rejected
275	403837	TELLURI MURALI	TELLURI LAZARU	18/07/1998	Male	SC	No	No	Yes	KHAMMAM	DMLT	0	0	0.00	0.00	0.00	0.00	MLT MARKS MEMO NOT SUBMITTED	Technical Certificate Rejected

## Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks					Remarks	Reason for Rejection	
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)			Total
276	403856	Hanifa Begum	Khairath Ali	04/01/1992	Female	OC	No	No	No		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	0.00	COMMUNITY CERTIFICATE OF TELANGANA NOT SUBMITTED,COUNCIL REGISTRATION CERTIFICATE EXPIRED, BONAFIDE CERTIFICATE FROM 1ST TO 5TH NOT SUBMITTED,TRAINING CERTIFICATE OF OTHERS SUBMITTED, MLT MARKS MEMO NOT VISIBLE,, Community Certificate Rejected, Local Rejected	Council Certificate Rejected, Training Certificate Rejected, Technical Certificate Rejected
277	403861	MAHAMMAD SHAREEF	MAHAMMAD HUSSAIN	19/07/1994	Male	BC-E	No	No	No	MAHABUBABAD	DMLT	0	0	0.00	0.00	0.00	0.00	COUNCIL REGISTRATION CERTIFICATE NOT SUBMITTED, MLT MARKS MEMO NOT SUBMITTED	Council Certificate Rejected, Technical Certificate Rejected
278	403864	Kummari Soujanya	Kummari Ramchandram	19/07/1999	Female	SC	No	No	Yes	JAYASHANKAR BHUPALAPALLY	Intermediate Vocational MLT Course	800	629	78.63	70.77	1.50	72.27	TRAINING CERTIFICATE AND SSC MARKS MEMO NOT SUBMITTED	Training Certificate Rejected
279	403880	dhanavath thullasi	dhanavath saida	10/08/1995	Female	ST	No	No	No		B.Sc. MLT	0	0	0.00	0.00	0.00	0.00	COUNCIL REGISTRATION CERTIFICATE,BONAFIDE CERTIFICATE,MLT MARKS MEMOS NOT SUBMITTED,, Local Rejected	Council Certificate Rejected, Technical Certificate Rejected
280	403884	M SRINIVAS	BRAHMA CHARY	12/08/1988	Male	BC-B	No	No	Yes		Intermediate Vocational MLT Course	700	532	76.00	68.40	7.00	75.40	BONAFIDE CERTIFICATE FROM 1ST TO 5TH CLASS NOT SUBMITTED, TRAINING CERTIFICATE AND SSC MARKS MEMOS NOT SUBMITTED, Local Rejected	Training Certificate Rejected



## Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks					Remarks	Reason for Rejection	
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)			Total
281	403892	BANOTH RENUKA	BANOTH BIKSHAPATHI	16/09/2002	Female	ST	No	No	Yes		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	cOUNCIL REGISTRATION CERTIFICATE, TRAINING CERTIFICATE AND MLT MARKS MEMO NOT SUBMITTED BONAFIDE CERTIFICATE FROM 1ST TO 5TH CLASS NOT SUBMITTED,MPHW(F) Documents uploaded, Local Rejected	Training Certificate Rejected, Technical Certificate Rejected
282	403896	MOLUGUMATI MOUNIKA	VASANTHA RAO	17/08/1997	Female	OC	No	No	Yes	KHAMMAM	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	COMMUNITY CERTIFICATE OF TELANGANA NOT SUBMITTED, MLT MARKS MEMO NOT SUBMITTED, Community Certificate Rejected	Technical Certificate Rejected
283	403900	METHRI MAHESH GOUD	METHRI SHANKER GOUD	08/06/2003	Male	BC-B	No	No	Yes	KAMAREDDY	Intermediate Vocational MLT Course	800	744	93.00	83.70	0.00	<b>83.70</b>	TRAINING CERTIFICATE NOT SUBMITTED	Training Certificate Rejected
284	403922	Etendra Dixit	Nitul Nath	10/12/1994	Male	OC	No	No	No		DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	CERTIFICATES NOT SUBMITTED CORRECTLY, MLT MARKS MEMO NOT SUBMITTED,, Local Rejected	Council Certificate Rejected, Technical Certificate Rejected
285	403944	B PRANEETH KUMAR	B PREM RAJ	05/06/1986	Male	BC-D	No	No	No	NIRMAL	Intermediate Vocational MLT Course	700	536	76.57	68.91	8.50	<b>77.41</b>	council certificate not uoloaded	Council Certificate Rejected
286	403946	BOKULA PARAMESH	BOKULA SHANKARIAH	11/06/2001	Male	BC-B	No	No	Yes		Intermediate Vocational MLT Course	800	655	81.88	73.69	1.00	<b>74.69</b>	Training certificate not enclosed., Local Rejected	Training Certificate Rejected
287	403948	SOURLA SUNIL KUMAR	RAMCHANDHRAIAH	01/05/1998	Male	BC-D	No	No	No	VIKARABAD	Intermediate Vocational MLT Course	800	606	75.75	68.18	2.50	<b>70.68</b>	Intermediate Vocational MLT Course registration not enclosed, No clinical training,	Council Certificate Rejected, Training Certificate Rejected
288	403978	Banoth Saikumar	Banoth ramkoti	15/05/1999	Male	ST	No	No	No	KHAMMAM	B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	Council and qualification certificates incorrectly uploaded,LT Memos not uploaded completely	Council Certificate Rejected, Technical Certificate Rejected
289	403981	SABHAVAT JAIPAL	SABHAVAT KESHYA	10/06/1992	Male	ST	No	No	Yes	NAGARKURNOOL	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	DMLT mark list not uploaded.	Technical Certificate Rejected

## Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
290	403991	nagaraju gogula	pullaiah	03/02/1992	Male	OC	No	No	No	KHAMMAM	Intermediate Vocational MLT Course	700	552	78.86	70.97	5.50	76.47	No caste, Intermediate Vocational MLT Course registration not enclosed, No Clinical training,, Community Certificate Rejected	Council Certificate Rejected, Training Certificate Rejected
291	404004	Naragoni Sathish	Naragoni Saidulu	23/07/1995	Male	BC-B	No	No	Yes	NALGONDA	Intermediate Vocational MLT Course	700	516	73.71	66.34	0.00	66.34	Training certificate and birth certificate incorrectly uploaded	Training Certificate Rejected
292	404048	JUMBIDI SWAPNA	LINGAIAH	15/02/1989	Female	OC	No	No	No	MANCHERIAL	B.Sc. MLT	0	0	0.00	0.00	0.00	0.00	B.S.c marks memo , caste certificate and MLT registration not enclosed,, Community Certificate Rejected	Council Certificate Rejected, Technical Certificate Rejected
293	404060	PULAKARAPU VENUGOPAL	PULAKARAPU SATHAIAH	23/08/1986	Male	BC-D	No	No	No	YADADRI BHONGIR	Intermediate Vocational MLT Course	700	501	71.57	64.41	0.00	64.41	SSC Certificate not clear in personal information, Intermediate Vocational MLT Course registration expired,	Council Certificate Rejected
294	404090	BELDHARI MAHESHWARI	BELDHARI SAILOO	20/06/2001	Female	BC-D	No	No	Yes	NIZAMABAD	Intermediate Vocational MLT Course	800	730	91.25	82.13	1.00	83.13	Traning not enclosed	Training Certificate Rejected
295	404123	Marathi Naveen	Marathi Sathaiah	09/08/2000	Male	OC	No	No	Yes	JANGAON	Intermediate Vocational MLT Course	800	538	67.25	60.53	1.00	61.53	No Caste certificate, No Clinical training, No 1 to 5 school bonafide,, Community Certificate Rejected	Training Certificate Rejected
296	404135	Santhosh Jakkam	Chandramouli	01/08/1988	Male	BC-B	No	No	Yes	WARANGAL (URBAN)	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	0.00	No SSC in personal information, Intermediate Vocational MLT Course mark list not clear.,	Technical Certificate Rejected
297	404144	ARSHIYA MOIN	MOHD MOIN UDDIN	24/01/1994	Female	BC-E	No	No	Yes	HYDERABAD	B.Sc. MLT	0	0	0.00	0.00	0.00	0.00	LT Memos not uploaded	Technical Certificate Rejected
298	404204	Baswe Gnaneswar	Baswe Hanmanth	21/05/1992	Male	SC	No	No	No	KAMAREDDY	DMLT	480	247	51.46	46.31	5.50	51.81	Council certificate not submitted	Council Certificate Rejected
299	404217	VELPULA NEELIMA	VELPULA DAMODER	23/10/1999	Female	SC	No	No	Yes	WARANGAL (URBAN)	Intermediate Vocational MLT Course	800	742	92.75	83.48	1.50	84.98		Deleted due to Duplicate application
300	404250	KORIPALLY DEEPIKA	KORIPALLY YADAGIRI	24/04/1998	Female	BC-B	No	No	No	MEDCHAL	Intermediate Vocational MLT Course	800	591	73.88	66.49	2.50	68.99	No Intermediate Vocational MLT Course Registration, No Clinical training,	Council Certificate Rejected, Training Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
301	404263	NARENDAR	CHINNAIAH	05/08/1988	Male	OC	No	No	No		Intermediate Vocational MLT Course	700	516	73.71	66.34	7.00	<b>73.34</b>	No Caste, Intermediate Vocational MLT Course Registration expired, No Clinical training, No School bonafides,, Community Certificate Rejected, Local Rejected	Council Certificate Rejected, Training Certificate Rejected
302	404266	S ALLAJI	S SATHAIAH	10/08/1987	Male	OC	No	No	Yes	RANGAREDDY	Intermediate Vocational MLT Course	700	470	67.14	60.43	7.50	<b>67.93</b>	training certificate not enclosed, Community Certificate Rejected	Training Certificate Rejected
303	404298	BATTU LALITHA	BATTU DASRU	15/07/1994	Female	ST	No	No	No	MAHABUBABAD	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	ExServicemen Certificate , registration and DMLT marks memo not enclosed,.	Council Certificate Rejected, Technical Certificate Rejected
304	404307	BUDIGA RENUKA	VEERIAIAH	14/04/1999	Female	SC	No	No	Yes	NALGONDA	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	marks memo not clear,Qualification-II memo not uploaded	Technical Certificate Rejected
305	404314	KARNE JYOTHI	SIDDAPPA	24/03/1998	Female	BC-D	No	No	Yes	SANGAREDDY	Intermediate Vocational MLT Course	800	706	88.25	79.43	2.50	<b>81.93</b>	No Training Certificate	Training Certificate Rejected
306	404323	SARITHA GANGAPURAPU	YAKAIAH	04/07/1988	Female	OC	No	No	Yes	WARANGAL (RURAL)	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	marks memo not enclosed and father name not match in caste certificate, Community Certificate Rejected	Technical Certificate Rejected
307	404325	M SHIVA SHANKER	M PENTAIAH	22/05/1986	Male	SC	No	No	No	RANGAREDDY	DMLT	480	202	42.08	37.87	8.50	<b>46.37</b>	DMLT registration expired,	Council Certificate Rejected
308	404326	Boya mounika	Boya pedda somanna	27/08/1997	Female	OC	No	No	No		B.Sc. MLT	1350	952	70.52	63.47	2.50	<b>65.97</b>	caste, bonafides and registration not enclosed, Community Certificate Rejected, Local Rejected	Council Certificate Rejected
309	404340	BORLAKUNTA RAJESHWAR	GANGARAM	18/06/1988	Male	SC	No	No	No	ADILABAD	DMLT	480	229	47.71	42.94	7.50	<b>50.44</b>	council renewal not submitted	Council Certificate Rejected
310	404349	PAKA BALA SATHYANARAYANA	PAKA LINGAIAH	10/05/1998	Male	BC-D	No	No	Yes	NALGONDA	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	MLT makrs memo not enclosed	Technical Certificate Rejected
311	404357	VIJAYA DARAVATH	SAKKA	08/03/1988	Female	ST	No	No	Yes	SURYAPET	B.Sc. MLT	1350	785	58.15	52.34	7.50	<b>59.84</b>	BSC MLT Registration expired,	Deleted due to Duplicate application
312	404364	Pallerla Srikanth	P.Narsimha	19/04/1996	Male	SC	No	No	No	YADADRI BHONGIR	Intermediate Vocational MLT Course	700	623	89.00	80.10	3.50	<b>83.60</b>	Council certificate date expired	Council Certificate Rejected
313	404368	SOMARAPU MAHESH	BICHAIAH	20/04/2003	Male	SC	No	No	No	VIKARABAD	Intermediate Vocational MLT Course	800	541	67.63	60.87	0.00	<b>60.87</b>	No Registration Certificate and No Training Certificate	Council Certificate Rejected, Training Certificate Rejected

## Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
314	404388	KATARI UTTHAMKUMAR	KATARI JAYARAJ	25/08/1998	Male	SC	No	No	No	WARANGAL (RURAL)	Intermediate Vocational MLT Course	800	609	76.13	68.52	2.00	70.52	COUNCIL REGISTRATION CERTIFICATE AND TRAINING CERTIFICATES NOT SUBMITTED	Council Certificate Rejected, Training Certificate Rejected
315	404396	Koka.suresh	Koka.yellaiah	12/03/1992	Male	SC	No	No	No	HYDERABAD	DMLT	480	219	45.63	41.07	5.50	46.57	COUNCIL REGISTRATION CERTIFICATE OF TELANGANA NOT SUBMITTED	Council Certificate Rejected
316	404410	BANOTH RAVI KUMAR	BANOTH HARILAL	19/03/2000	Male	ST	No	No	No	KHAMMAM	DMLT	0	0	0.00	0.00	0.00	0.00	Qualification-II Certificate and registration not enclosed.,	Council Certificate Rejected, Technical Certificate Rejected
317	404418	KOMMU JYOSNA	KOMMU CHERALU	05/02/1990	Female	SC	No	No	Yes	WARANGAL (RURAL)	Intermediate Vocational MLT Course	700	493	70.43	63.39	6.50	69.89	Clinical training certificate not clear.,	Training Certificate Rejected
318	404450	Chintala Deepika	Ramaswamy	06/11/2001	Female	SC	No	No	No	BHADRADRI KOTHAGUDEM	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	0.00	Memos not clear, Training and council registration not submitted.,	Council Certificate Rejected, Training Certificate Rejected, Technical Certificate Rejected
319	404453	BHUKYA SHEKHAR	RAMULU	02/10/1986	Male	OC	No	No	No		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	0.00	All the documents submitted by the applicant are not clear to scrutinize.,, Community Certificate Rejected, Local Rejected	Council Certificate Rejected, Training Certificate Rejected, Technical Certificate Rejected
320	404494	KAVALI PRAKASH	KAVALI MALLAIAH	27/07/1992	Male	BC-D	No	No	Yes	NALGONDA	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	0.00	Memo not clear.,	Technical Certificate Rejected
321	404518	MD SABEL AHMAD	MD JAHANGEER PASHA	29/05/2004	Male	BC-E	No	No	No		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	0.00	BONAFIDE CERTIFICATE,COUNCIL REGISTRATION CERTIFICATE,TRAINING CERTIFICATE,SSC MEMO NOT SUBMITTED, MLT MARKS MEMO NOT CLEAR,, Local Rejected	Under Age, Council Certificate Rejected, Training Certificate Rejected, Technical Certificate Rejected
322	404538	MOLUGUMATI PRASAD	MOLUGUMATI VASANTHA RAO	18/04/2001	Male	SC	No	No	No	KHAMMAM	Intermediate Vocational MLT Course	800	559	69.88	62.89	1.00	63.89	Council Registration & Training certificates not submitted	Council Certificate Rejected, Training Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
323	404539	Gollamandala.Krishnaiah	G.Ramaiah	09/06/1984	Male	OC	No	No	No	KHAMMAM	B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	LT Memo, Caste certificate and council renewal not submitted,, Community Certificate Rejected	Council Certificate Rejected, Technical Certificate Rejected
324	404550	jatavath mothilal	jatavath bichya	17/03/1994	Male	ST	No	No	Yes	NALGONDA	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Marks memo not clear,.	Technical Certificate Rejected
325	404569	Ishrath	Mohammad Yakub	21/02/2000	Female	BC-B	No	No	No	YADADRI BHONGIR	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	No Registration Certificate,LT Memo not uploaded	Council Certificate Rejected, Technical Certificate Rejected
326	404598	Ummadi shiva sai krishna	Ummadi sadananda Chary	14/08/2000	Male	BC-B	No	No	Yes	KARIMNAGAR	Intermediate Vocational MLT Course	800	662	82.75	74.48	1.00	<b>75.48</b>		Deleted due to Duplicate application
327	404629	Madaram Swamy sunderaiah	Madaram devadass	28/06/1987	Male	OC	No	No	No	HYDERABAD	B.Sc. MLT	1350	902	66.81	60.13	8.00	<b>68.13</b>	Memos not clear, Community Certificate Rejected	Council Certificate Rejected
328	404637	VIJAYA DARAVATH	SAKKA	08/03/1988	Female	ST	No	No	No	SURYAPET	B.Sc. MLT	1350	785	58.15	52.34	7.50	<b>59.84</b>	COUNCIL REGISTRATION CERTIFICATE OF TELANGANA NOT SUBMITTED	Council Certificate Rejected
329	404688	ALTHURI KUMAR	ALTHURI VIJAY	07/02/1995	Male	SC	No	No	Yes	SIDDIPET	Intermediate Vocational MLT Course	800	571	71.38	64.24	4.00	<b>68.24</b>	incomplet bonafides and traning not enclosed	Training Certificate Rejected
330	404689	YALKANTI KAVERI	YALKANTI JANAIAH	10/08/2000	Female	OC	No	No	Yes	SIDDIPET	Intermediate Vocational MLT Course	800	606	75.75	68.18	1.00	<b>69.18</b>	Only 1st to 5th Bonafide provided which is unclear and No Training Certificate, Community Certificate Rejected	Training Certificate Rejected
331	404691	BOMMERLA NAVEEN	RAMULU	02/05/1998	Male	OC	No	No	Yes	BHADRADRI KOTHAGUDEM	Intermediate Vocational MLT Course	800	691	86.38	77.74	2.50	<b>80.24</b>	old caste and traning certificate not enclosed, Community Certificate Rejected	Training Certificate Rejected
332	404725	PULLURI AJAY KUMAR	PULLURI CHANDRAM	10/07/1998	Male	BC-D	No	No	Yes	SIDDIPET	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	marks memo not enclosed	Technical Certificate Rejected
333	404729	SALVATKAR DINESH KUMAR	S PUNNAIAH	06/08/1995	Male	SC	No	No	No	KOMARAM BHEEM ASIFABAD	Intermediate Vocational MLT Course	800	688	86.00	77.40	3.50	<b>80.90</b>	registration expired	Council Certificate Rejected
334	404748	NAMIDLA SINDHU	N NARSAIAH	30/08/1998	Female	SC	No	No	Yes	WARANGAL (URBAN)	DMLT	480	284	59.17	53.25	2.00	<b>55.25</b>		Deleted due to Duplicate application
335	404753	DHANAVATH VAMSHINAIK	DHANAVATH NEHRU	10/04/1999	Male	ST	No	No	Yes	NALGONDA	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	No DMLT marks memo	Technical Certificate Rejected
336	404754	RAMAVATH SANTHOSHI	RAMAVATH SRINIVASU	30/12/1998	Female	ST	No	No	Yes	SURYAPET	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	DMLT marks memo not enclosed	Technical Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
337	404758	VENKANNA INALA	RAMULU	10/08/1988	Male	OC	No	No	No	MAHABUBABAD	DMLT	480	267	55.63	50.07	7.00	<b>57.07</b>	old caste and registration expired, Community Certificate Rejected	Council Certificate Rejected
338	404790	SINGIREDDY RAJENDHAR REDDY	YELLA REDDY	25/09/1995	Male	OC	No	No	No		Intermediate Vocational MLT Course	700	587	83.86	75.47	3.50	<b>78.97</b>	No caste no bonnafide registration expired, Local Rejected	Council Certificate Rejected
339	404799	Pranav kumar	Bajrangi pandit	31/12/1996	Male	OC	No	No	No		B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	incomplet certificates,, Local Rejected	Council Certificate Rejected, Technical Certificate Rejected
340	404863	KATTE KONLA NARESH	LAXMINARAO	07/05/1992	Male	BC-B	No	No	No	SURYAPET	Intermediate Vocational MLT Course	700	539	77.00	69.30	5.50	<b>74.80</b>	council certificate incorrectly uploaded	Council Certificate Rejected
341	404872	KUMBALA KIRAN KUMAR	KUMBALA GANGARAM	04/01/1986	Male	SC	No	No	No		Intermediate Vocational MLT Course	700	539	77.00	69.30	8.50	<b>77.80</b>	registration expired and bonafides incomplet, Local Rejected	Council Certificate Rejected
342	404910	GEDAM RAMAKANTH	BHARATH	05/05/1996	Male	OC	No	No	No	ADILABAD	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	all incomplets certificates, Community Certificate Rejected	Council Certificate Rejected, Technical Certificate Rejected
343	404955	DHARAVATH SUJATHA	UPEDRA	10/06/1996	Female	ST	No	No	Yes	BHADRADRI KOTHAGUDEM	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	LT Memo not attached	Technical Certificate Rejected
344	404970	JANGILI GANGABHAVANI	J SAIDULU	12/08/2000	Female	BC-D	No	No	Yes	NALGONDA	DMLT	480	230	47.92	43.13	1.00	<b>44.13</b>		Deleted due to Duplicate application
345	404982	VARIGANJI ANUSHA	VARIGANJI RAJU	01/10/1996	Female	SC	No	No	Yes	MEDCHAL	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	No DMLT memos	Technical Certificate Rejected
346	405013	Banavath Chandu	Banavath harya	05/06/1999	Male	OC	No	No	No	NALGONDA	DMLT	480	319	66.46	59.81	0.00	<b>59.81</b>	certificates arew not clear, Community Certificate Rejected	Council Certificate Rejected
347	405033	MD WAHEED ALI	AHMED ALI	18/06/1990	Male	BC-E	No	No	Yes	WARANGAL (RURAL)	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	memos not enclosed,,Qualification-II Certificate not uploaded	Technical Certificate Rejected
348	405064	ALLURI RAGHAVA RAJA VARMA	ALLURI SUBRAHMANYARAJU	24/10/1991	Male	OC	No	No	No		DMLT	480	223	46.46	41.81	5.50	<b>47.31</b>	Council expired and other state, Local Rejected	Council Certificate Rejected
349	405076	V PADMALATHA	V SHASTRI	05/07/1994	Female	OC	No	No	No	MAHABUBABAD	Intermediate Vocational MLT Course	700	559	79.86	71.87	4.00	<b>75.87</b>	. council certificate got expired 2. training certificate not enclosed,, Community Certificate Rejected	Council Certificate Rejected, Training Certificate Rejected
350	405088	MUDAVATH RAMSINGH	MUDAVATH GOPI	14/04/1993	Male	ST	OH	No	No		DMLT	1400	1050	75.00	67.50	5.00	<b>72.50</b>	COUNCIL CERTIFICATE AND MLT MARKS MEMO OF OTHER STATE SUBMITTED,BONAFIDFE CERTIFICATE NOT SUBMITTED, Local Rejected	Council Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
351	405102	Pramith Madhu Santhapuri	Purushotham	28/10/1985	Male	BC-C	No	No	Yes	NIZAMABAD	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	MLT marks memo not submitted	Technical Certificate Rejected
352	405147	B ARUNA	B PRAHALAD	14/09/1986	Female	OC	No	No	No	SANGAREDDY	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	1. council certificate got expired. 2. enclosed old caste certificate,LT Memo not uploaded, Community Certificate Rejected	Council Certificate Rejected, Technical Certificate Rejected
353	405182	MYLOORI VINODA	MYLOORI MALLAIAH	16/06/1995	Female	SC	No	No	Yes	SANGAREDDY	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	MLT not visible,.	Technical Certificate Rejected
354	405192	BUDDE RAVI CHAND	BUDDE RAMACHANDRAM	11/08/1998	Male	BC-B	No	No	Yes	PEDDAPALLI	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	MLT certificate not submitted	Technical Certificate Rejected
355	405195	SANDELA BHAGYA LAXMI	SANDELA CHANDRAIAH	27/09/1990	Female	OC	No	No	Yes		Intermediate Vocational MLT Course	700	535	76.43	68.79	0.00	<b>68.79</b>	Certificates not visible, Community Certificate Rejected, Local Rejected	Training Certificate Rejected
356	405196	budaram pundarikam	B.mariyappa	09/01/1983	Male	SC	No	No	No	SANGAREDDY	DMLT	480	391	81.46	73.31	0.00	<b>73.31</b>	ssc and MLT registration not enclosed	Council Certificate Rejected
357	405207	Nulka	Ashok	20/04/1987	Male	OC	No	No	No	SANGAREDDY	B.Sc. MLT	1350	829	61.41	55.27	8.00	<b>63.27</b>	caste not enclosed and registration expired, Community Certificate Rejected	Council Certificate Rejected
358	405208	Makka Hemalatha	Makka Jayaraju	19/05/1987	Female	SC	No	No	Yes	RANGAREDDY	B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	Qualification-II Certificate not enclosed,.	Technical Certificate Rejected
359	405216	MEGAVATH KEERTHI	MEGAVATH PEERYA	19/06/1999	Female	ST	No	No	Yes	NIZAMABAD	DMLT	480	280	58.33	52.50	2.00	<b>54.50</b>		Deleted due to Duplicate application
360	405224	SANKE SANTHOSH	SANKE BAPU	15/07/1993	Male	SC	No	No	No	MANCHERIAL	Intermediate Vocational MLT Course	800	639	79.88	71.89	0.00	<b>71.89</b>	SSC not enclosed and registration expired	Council Certificate Rejected
361	405255	KADAVATH PRAVEEN KUMAR	KADAVATH THUKARAM	07/06/1998	Male	OC	No	No	Yes		DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	bonafides and caste certificates and marks memonot enclosed, Community Certificate Rejected, Local Rejected	Technical Certificate Rejected
362	405259	K. Bhagya lakshmi	K. Ramaiah	13/03/1987	Female	SC	No	No	No		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	all incomplet certificates,LT Memo not uploaded, Local Rejected	Council Certificate Rejected, Technical Certificate Rejected
363	405271	Ellandula Naveen Kumar	Apparao	09/08/1983	Male	BC-A	No	No	Yes	BHADRADRI KOTHAGUDEM	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	marks memo not enclosed	Technical Certificate Rejected
364	405302	M RAMAKRISHNA	NAGESWARARAO	30/06/1987	Male	SC	No	No	No	KHAMMAM	DMLT	480	229	47.71	42.94	8.00	<b>50.94</b>	ExServicemen Certificate and registration not enclosed	Council Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
365	405317	BANOTH GOVIND	ROOP SINGH	17/08/2001	Male	ST	No	No	Yes	KAMAREDDY	Intermediate Vocational MLT Course	800	653	81.63	73.47	0.50	<b>73.97</b>	Training certificate uploaded incorrectly, Training certificate not uploaded	Training Certificate Rejected
366	405321	RAMANCHA SATHEESH	RAMANCHA MOGILI	17/07/1990	Male	SC	No	No	No	WARANGAL (URBAN)	Intermediate Vocational MLT Course	700	533	76.14	68.53	6.00	<b>74.53</b>	TS Council Renewal not submitted	Council Certificate Rejected
367	405325	Palvai Swarna	Venkataiah	05/03/1995	Female	OC	No	No	Yes	MAHABUBABAD	B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	marks memo not enclosed and father name not match in cates,, Community Certificate Rejected	Technical Certificate Rejected
368	405346	LINGAMPALLY RAMADEVI	LINGAMPALLY VENKATAIAH	16/07/1999	Female	BC-D	No	No	No	NALGONDA	Intermediate Vocational MLT Course	800	692	86.50	77.85	1.50	<b>79.35</b>	Council and training certificates incorrectly uploaded	Council Certificate Rejected, Training Certificate Rejected
369	405356	BANOTH SURESH	LACHIRAM	04/07/1996	Male	ST	No	No	No		Intermediate Vocational MLT Course	700	445	63.57	57.21	3.00	<b>60.21</b>	registration expired and 1 to 5 bonafide not enclosed, Local Rejected	Council Certificate Rejected
370	405383	Kode Vijay	Bheemaraju	10/08/2002	Female	OC	No	No	Yes	BHADRADRI KOTHAGUDEM	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Marks memo not visible . father name not in caste,, Community Certificate Rejected	Technical Certificate Rejected
371	405391	Laxetti prasannalaxmi	Prakash	28/08/1985	Female	OC	No	No	No		B.Sc. MLT	1800	981	54.50	49.05	8.50	<b>57.55</b>	council certificate expired, community certificate not visible, bonafide certificate from 1st to 4th class not submitted, Community Certificate Rejected, Local Rejected	Council Certificate Rejected
372	405392	DARA ABHILASH	VIJAYARAJU	23/08/1995	Male	SC	No	No	No		DMLT	480	241	50.21	45.19	3.50	<b>48.69</b>	Council certificate and bonafides not enclosed, Local Rejected	Council Certificate Rejected
373	405405	GURRAM SUKANYA	GURRAM BHADRAIAH	08/09/1988	Female	SC	No	No	No	JAYASHANKAR BHUPALAPALLY	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	there are no certificates of MLT, LT Memo not uploaded	Council Certificate Rejected, Technical Certificate Rejected
374	405411	Adavala Krishna	Adavala Yadav	16/11/2001	Male	BC-D	No	No	Yes	ADILABAD	Intermediate Vocational MLT Course	800	666	83.25	74.93	0.50	<b>75.43</b>	training not enclosed and memos not clear	Training Certificate Rejected
375	405415	Varikela madhuri	Varikela shivaji	12/06/2001	Female	BC-D	No	No	Yes	WARANGAL (URBAN)	Intermediate Vocational MLT Course	800	644	80.50	72.45	1.00	<b>73.45</b>	Training certificate uploaded incorrectly	Training Certificate Rejected
376	405425	TURRAM MOUNIKA	KOTESWARA RAO	05/05/1992	Female	ST	No	No	Yes	BHADRADRI KOTHAGUDEM	Intermediate Vocational MLT Course	700	523	74.71	67.24	5.50	<b>72.74</b>	TRAINING CERTIFICATE NOT UPLOADED	Training Certificate Rejected



**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
377	405452	VANKDOTHU VENKANNA	V SEVA	18/03/1988	Male	ST	No	No	No	NALGONDA	Intermediate Vocational MLT Course	700	503	71.86	64.67	7.50	<b>72.17</b>	renewal of MLT registration certificate not enclosed	Council Certificate Rejected
378	405469	PENDOR MAHESH	PENDOR SAKUNTHARAO	15/02/1993	Male	ST	No	No	No	ADILABAD	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	No Qualification marksheet and council certificate date expired,.	Council Certificate Rejected, Technical Certificate Rejected
379	405480	ASSAMPALLY KARUNA SREE	ASSAMPALLY RAJIAH	25/07/1986	Female	SC	No	No	Yes	MANCHERIAL	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	MLT MARKS MEMO NOT ENCLOSED.	Technical Certificate Rejected
380	405481	PERALA HARISH	PERALA NARSAIAH	11/02/1993	Male	SC	No	No	No		DMLT	480	223	46.46	41.81	0.00	<b>41.81</b>	Registration expired and training not enclosed, Local Rejected	Council Certificate Rejected
381	405504	Manempally kalyan kumar	M.Venkati	01/06/1997	Male	SC	No	No	Yes	KOMARAM BHEEM ASIFABAD	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	DMLT marks memo not enclosed,.	Technical Certificate Rejected
382	405506	PULISHETTY SAILAXMI	PULISHETTY CHANDARAIH	13/07/1997	Female	BC-D	No	No	Yes	MANCHERIAL	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	1st to 3rd school certificate not enclosed, Training certificate enclosed in qualification -II,LT Memo not uploaded	Technical Certificate Rejected, Deleted due to Duplicate application
383	405515	J ANIL	J RATHAN	12/09/1999	Male	ST	No	No	Yes	VIKARABAD	Intermediate Vocational MLT Course	800	618	77.25	69.53	1.50	<b>71.03</b>	training not enclosed	Training Certificate Rejected
384	405521	CHINTHAM SHRAVANI	CHINTHAM MALLAIAH	13/08/1996	Female	SC	No	No	No	MANCHERIAL	Intermediate Vocational MLT Course	800	685	85.63	77.07	3.00	<b>80.07</b>	registration expired	Council Certificate Rejected
385	405542	ESAM SWARUPA	E YARRAIAH	14/03/1994	Female	ST	No	No	Yes		B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	B.SC MLT MARKS MEMO NOT ENCLOSED,., Local Rejected	Technical Certificate Rejected
386	405565	Mala Radhika	Mala Buchaiah	04/09/1995	Female	SC	No	No	No		DMLT	480	213	44.38	39.94	3.50	<b>43.44</b>	I to IV Bonafides not submitted and registration expired, Local Rejected	Council Certificate Rejected
387	405575	Chunarkar Kalpana	Chunarkar manikrao	05/06/1994	Female	SC	No	No	Yes	KOMARAM BHEEM ASIFABAD	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Training Certificate not enclosed, not uploaded Intermediate Vocational MLT Marks,.	Training Certificate Rejected, Technical Certificate Rejected
388	405577	K Ramnajaneyulu	Adivanna	16/04/2001	Male	BC-B	No	No	Yes	JOGULAMBA GADWAL	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	LT Memo not clear,.	Technical Certificate Rejected, Deleted due to Duplicate application
389	405578	THORMATI SAMSON	THORMATI BALAIAH	11/03/1991	Male	SC	No	No	Yes	SANGAREDDY	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	MLT marks memo not enclosed	Technical Certificate Rejected

## Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
390	405637	ANUGANDULA VIJAYALAXMI	ANUGANDULA RAMESH	03/08/1995	Female	BC-B	No	No	Yes	ADILABAD	Intermediate Vocational MLT Course	700	631	90.14	81.13	3.50	84.63	Training certificate not enclosed	Training Certificate Rejected
391	405662	HEMJI	GOPAL	16/03/1999	Male	ST	No	No	No		Intermediate Vocational MLT Course	800	541	67.63	60.87	2.00	62.87	council registration uploaded wrongly, Training certificate & Bonafides I to V not attached, Local Rejected	Council Certificate Rejected, Training Certificate Rejected
392	405667	DOGGELA RAJU	DOGGELA SAMUEL	02/02/1987	Male	OC	No	No	No		DMLT	480	259	53.96	48.56	8.00	56.56	Concil registration certificate expired , community certificate and bonafide certificate not submitted, Community Certificate Rejected, Local Rejected	Council Certificate Rejected
393	405670	KATRAVATH MOHAN	Panthula	07/08/1997	Male	ST	No	No	No	NAGARKURNOOL	B.Sc. MLT	1350	748	55.41	49.87	2.50	52.37	Council certificate incorrectly uploaded	Council Certificate Rejected
394	405701	PALSA TARUN	PALSA RAMALINGAIAH	03/08/1994	Male	BC-B	No	No	No	NALGONDA	DMLT	480	236	49.17	44.25	4.00	48.25	Council Registration not submitted	Council Certificate Rejected
395	405726	Mohammed khaja azharuddin	Mohammed khaja shahabuddin	14/04/1999	Male	BC-E	No	No	Yes	KARIMNAGAR	Intermediate Vocational MLT Course	800	572	71.50	64.35	2.00	66.35	Training certificate not enclosed	Training Certificate Rejected
396	405733	Aela ramesh	Aela pentaiah	12/02/1998	Male	SC	No	No	Yes	MEDAK	Intermediate Vocational MLT Course	800	577	72.13	64.92	0.00	64.92	SSC, Training certificate not enclosed	Training Certificate Rejected
397	405754	INAGURTHI NARENDRANATH CHARY	INGURTHI RAMABRAHMAM	05/08/1997	Male	BC-B	No	No	Yes	KHAMMAM	DMLT	0	0	0.00	0.00	0.00	0.00	MLT marks memo not submitted,.	Technical Certificate Rejected
398	405766	BHUPATHI RACHANA	BHUPATHI LAXMAN	09/02/1998	Female	BC-D	No	No	No	JAGTIAL	Intermediate Vocational MLT Course	800	620	77.50	69.75	2.50	72.25	Training certificate & Council Registration not enclosed	Council Certificate Rejected, Training Certificate Rejected
399	405774	KALI KUMAR	JAGANNATH RAO	20/11/1985	Male	OC	No	No	No	SANGAREDDY	Intermediate Vocational MLT Course	700	482	68.86	61.97	8.50	70.47	Caste, Council Renewal, Training certificates not attached, Community Certificate Rejected	Council Certificate Rejected, Training Certificate Rejected
400	405777	D VANI	D VENKATESH	10/02/1990	Female	OC	No	No	No		Intermediate Vocational MLT Course	700	582	83.14	74.83	6.50	81.33	Old Caste Certificate, Expired AP Registration Certificate and No Bonafides, Community Certificate Rejected, Local Rejected	Council Certificate Rejected
401	405807	AMBATI VIJAY KUMAR	AMBATI POCHIAIAH	06/08/1997	Male	BC-D	No	No	Yes	MEDAK	Intermediate Vocational MLT Course	800	685	85.63	77.07	2.50	79.57	Training certificate not submitted	Training Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
402	405837	Gopagani Mounika	Saidulu	22/02/1995	Female	OC	No	No	No	SURYAPET	B.Sc. MLT	1350	835	61.85	55.67	4.00	<b>59.67</b>	Council registration validity expired and old caste, Community Certificate Rejected	Council Certificate Rejected
403	405840	JUMDE JANARDHAN	JUMDE RUSHI	01/01/1993	Male	SC	No	No	No	KOMARAM BHEEM ASIFABAD	Intermediate Vocational MLT Course	700	384	54.86	49.37	5.00	<b>54.37</b>	Concil registration certificate not submitted	Council Certificate Rejected
404	405862	CHENNOJU JAGADEESH KUMAR	CH .RAVINDRA CHARY	27/08/1986	Male	BC-B	No	No	No		DMLT	480	274	57.08	51.37	8.00	<b>59.37</b>	BONAFIDE CERTIFICATE FROM 1ST TO 6TH CLASS NOT SUBMITTED and not clear, Local Rejected	Council Certificate Rejected
405	405870	REDDYBOINA YAMINI	REDDYBOINA SRINU	03/05/1997	Female	BC-D	No	No	No	KHAMMAM	DMLT	480	248	51.67	46.50	3.00	<b>49.50</b>	Council registration not submitted	Council Certificate Rejected
406	405882	DOMALAPALLY SOWJANYA	DOMALAPALLY YADAGIRI	15/01/1998	Female	BC-A	No	No	No	NALGONDA	DMLT	480	310	64.58	58.12	2.50	<b>60.62</b>	No Registration Certificate	Council Certificate Rejected
407	405924	ANUMULA MEENA	DEVIDAS	18/03/1997	Female	BC-D	No	No	Yes	NIRMAL	DMLT	480	212	44.17	39.75	3.00	<b>42.75</b>		Deleted due to Duplicate application
408	405935	BANDARU BALAKRISHNA	PULLAIAH	15/12/1988	Male	BC-B	No	No	No	KHAMMAM	Intermediate Vocational MLT Course	700	440	62.86	56.57	7.00	<b>63.57</b>	COUNCIL REGISTRATION CERTIFICATE EXPIRED	Council Certificate Rejected, Training Certificate Rejected
409	406006	DESHAIPET SRAVANTHI	PARVAIAH	26/01/2002	Female	BC-D	No	No	No	NIZAMABAD	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Concil registration certificate, training certificate and marks not VISIBLE	Council Certificate Rejected, Training Certificate Rejected, Technical Certificate Rejected
410	406012	INDLA SANDHYA	INDLA KRISHNA	18/06/1998	Female	BC-D	No	No	No	JANGAON	Intermediate Vocational MLT Course	800	689	86.13	77.52	2.50	<b>80.02</b>	No Registration Certificate	Council Certificate Rejected
411	406021	MAMILA MEENA	MAMILA SATHYANARAYANA	23/03/1995	Female	BC-D	No	No	Yes	MEDAK	Intermediate Vocational MLT Course	700	643	91.86	82.67	4.00	<b>86.67</b>		Deleted due to Duplicate application
412	406042	JODE SAVITHA	JODE POCHURAM	06/03/1993	Female	SC	No	No	No		Intermediate Vocational MLT Course	700	545	77.86	70.07	5.00	<b>75.07</b>	Council registration certificate expired, District/Mandal/Village not visible in the bonafide certificate, Local Rejected	Council Certificate Rejected
413	406047	G THIRUPATHAMMA	P DYSI RAM	21/02/1987	Female	SC	No	No	No	HYDERABAD	B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	Council certificate renewal not uploaded,LT Memo not clear	Council Certificate Rejected, Technical Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks					Remarks	Reason for Rejection	
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)			Total
414	406053	G UJJWALA	GANGARAM	14/02/1988	Female	SC	No	No	No		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Submitted ANM Documents,, Local Rejected	Council Certificate Rejected, Training Certificate Rejected, Technical Certificate Rejected
415	406057	M. Raju Naik	M. Nandya Naik	04/05/2001	Male	ST	No	No	Yes	NARAYANAPET	Intermediate Vocational MLT Course	800	554	69.25	62.33	1.00	<b>63.33</b>	Training certificate not submitted	Training Certificate Rejected
416	406066	PRAKASH	BALCHANDAR	12/05/1989	Male	BC-D	No	No	Yes	MAHABOBNAGAR	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	LT Memo not clear,,	Technical Certificate Rejected
417	406071	ANWAR ULLAH	HASHMAT ULLAH	05/07/2000	Male	BC-E	No	No	No	NIZAMABAD	Intermediate Vocational MLT Course	800	662	82.75	74.48	1.00	<b>75.48</b>	council certificate and training certificate not uploaded	Council Certificate Rejected, Training Certificate Rejected
418	406077	Padakanti laxmi	Padakanti Yadagiri	15/11/1996	Female	OC	No	No	No		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	All documents Not uploaded ,, Community Certificate Rejected, Local Rejected	Council Certificate Rejected, Training Certificate Rejected, Technical Certificate Rejected
419	406090	LAKKA kiran Kumar	Megharaju	24/04/1996	Male	BC-D	No	No	Yes		Intermediate Vocational MLT Course	700	565	80.71	72.64	3.50	<b>76.14</b>	training certificate and school certificate not uploaded, Local Rejected	Training Certificate Rejected
420	406094	BUKKARAJU NARESH BABU	BUKKARAJU BHUSHANAM	13/12/1982	Male	OC	No	No	No	KHAMMAM	B.Sc. MLT	1800	1121	62.28	56.05	10.00	<b>66.05</b>	community certificate of Telangana not submitted, council registration certificate not submitted, Community Certificate Rejected	Council Certificate Rejected
421	406097	Pampari Naresh	Pampari Narsimloo	03/07/1993	Male	BC-A	No	No	Yes	NIZAMABAD	DMLT	480	231	48.13	43.32	4.50	<b>47.82</b>		Deleted due to Duplicate application
422	406105	SHAIK NAZEER	SHAIK MOHAMMED	02/03/1995	Male	OC	No	No	No		Intermediate Vocational MLT Course	800	426	53.25	47.93	4.00	<b>51.93</b>	School Bonafides, Council Registration and Training certificates not submitted, Local Rejected	Council Certificate Rejected, Training Certificate Rejected
423	406129	M SREENU	LAXMAN	16/10/1986	Male	ST	No	No	Yes		Intermediate Vocational MLT Course	700	569	81.29	73.16	8.00	<b>81.16</b>	Training and bonafide certificates not submitted, Local Rejected	Training Certificate Rejected, Deleted due to Duplicate application

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
424	406133	UMA KANNEBOINA	SHIVARAMULU	11/05/1984	Female	OC	No	No	No	WARANGAL (RURAL)	DMLT	480	213	44.38	39.94	0.00	<b>39.94</b>	Date of birth certificate, community certificate of Telangana & council registration renewal not submitted, Community Certificate Rejected	Council Certificate Rejected
425	406154	Nirati Rameshwari	Nirati chennaiah	02/03/1995	Female	OC	No	No	Yes	RANGAREDDY	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	LT Memo not clear, TS Caste not submitted,, Community Certificate Rejected	Technical Certificate Rejected
426	406177	GANGANI DEEPIKA	GANGANI ASHOK	08/12/2001	Female	BC-A	No	No	No	SANGAREDDY	Intermediate Vocational MLT Course	800	725	90.63	81.57	0.50	<b>82.07</b>	Council Registration not submitted	Council Certificate Rejected
427	406216	THATI MAMATHA	LAXMINARAYANA	07/07/1995	Female	BC-B	No	No	Yes	YADADRI BHONGIR	B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	B.Sc. MLT memo not uploaded,.	Technical Certificate Rejected
428	406228	G ANUSHA	G NAGABHUSHANAM	17/02/1998	Female	OC	No	No	No		DMLT	480	218	45.42	40.88	2.50	<b>43.38</b>	Fathers name not mentioned in Caste certificate, Council Registration and School Bonafides not submitted, Community Certificate Rejected, Local Rejected	Council Certificate Rejected
429	406231	JATOSH SARITHA	LALU	12/06/2000	Female	ST	No	No	Yes		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	I to V Bonafides not attached and LT Memo not clear,, Local Rejected	Technical Certificate Rejected
430	406264	RAMAVATH KIRAN KUMAR	RAMAVATH MOHILAL	22/10/1994	Male	ST	OH	No	Yes	NALGONDA	Intermediate Vocational MLT Course	700	533	76.14	68.53	4.00	<b>72.53</b>	Training certificate not submitted	Training Certificate Rejected
431	406275	GYARA BALRAJU	GYARA MALLAIAH	02/06/1992	Male	SC	No	No	No	SIDDIPET	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Council Renewal not submitted; LT Memo not clear,.	Council Certificate Rejected, Technical Certificate Rejected
432	406276	NAGAVELLI KALYANI	NAGAVELLI SHANKARAI AH	09/07/1991	Female	OC	No	No	No		DMLT	480	282	58.75	52.88	5.50	<b>58.38</b>	council registration certificate of Telangana not submitted, Bonafide certificate from 1st to 5th class not submitted; TS Caste not submitted,, Community Certificate Rejected, Local Rejected	Council Certificate Rejected
433	406278	P PARASHU RAMULU	P BALRAM	20/03/1991	Male	SC	No	No	No	NAGARKURNOOL	Intermediate Vocational MLT Course	700	414	59.14	53.23	6.00	<b>59.23</b>	Council Registration not submitted	Council Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
434	406285	VEMULA JAYARAMAKRISHNA	RAJESHAM	08/03/1999	Male	BC-B	No	No	Yes	KARIMNAGAR	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	I, II, VI, VII Bonafides not attached,LT Memo not uploaded	Technical Certificate Rejected
435	406288	KATHI VENKATESWARLU	KATHI KRISHNA	18/06/1992	Male	SC	No	No	No	BHADRADRI KOTHAGUDEM	B.Sc. MLT	1350	896	66.37	59.73	5.50	<b>65.23</b>	Council Renewal not submitted	Council Certificate Rejected
436	406305	MORLA PARUSHARAM	M SRINIVASU	15/06/1989	Male	BC-B	No	No	Yes	NALGONDA	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	LT Memo not clear ,,	Technical Certificate Rejected
437	406313	B G SAROJA	B G PANDU	17/07/1989	Female	OC	No	No	No		DMLT	480	338	70.42	63.38	6.50	<b>69.88</b>	TS Council certificate not submitted, Bonafides not clear,, Local Rejected	Council Certificate Rejected
438	406318	PUSNAKA KARISHMA	PUSNAKA VITTAL	01/01/1994	Female	ST	No	No	Yes	ADILABAD	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	LT marks memo not submitted,.	Technical Certificate Rejected
439	406324	BOMMALA SANDEEP	BOMMALA NARSHIMULU	20/02/1993	Male	SC	No	No	Yes	SIDDIPET	Intermediate Vocational MLT Course	700	555	79.29	71.36	5.00	<b>76.36</b>	Training certificate not uploaded	Training Certificate Rejected
440	406326	KESHAVA SHIVANI	KESHAVA LAXMINARAYANA	19/03/2002	Female	BC-D	No	No	No	BHADRADRI KOTHAGUDEM	Intermediate Vocational MLT Course	800	693	86.63	77.97	0.50	<b>78.47</b>	Council Certificate and Training Certificate not uploaded	Council Certificate Rejected, Training Certificate Rejected
441	406332	Dasari Kurumurthy	Dasari Anjaneyulu	07/09/2002	Male	BC-D	No	No	No	MAHABOBNAGAR	Intermediate Vocational MLT Course	800	646	80.75	72.68	0.00	<b>72.68</b>	No council certificate	Council Certificate Rejected
442	406338	koduru Raghavender	krishnaiah	05/05/1992	Male	SC	No	No	Yes		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Training certificate and qualification certificate I & II not uploaded,, Local Rejected	Training Certificate Rejected, Technical Certificate Rejected
443	406340	SHAIK IMRAN KHAN	SHAIK YOUSAF	08/06/1998	Male	OC	No	No	Yes	WARANGAL (URBAN)	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	LT memo not clear,.	Technical Certificate Rejected
444	406342	BOPPANI LALITH KUMAR	BOPPANI VENKANNA	23/05/1994	Male	SC	No	No	No	SURYAPET	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	Registration certificate expired, Marks Memo not uploaded,.	Council Certificate Rejected, Technical Certificate Rejected
445	406351	ADE	KISHAN	03/06/1993	Female	ST	No	No	No	KOMARAM BHEEM ASIFABAD	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Council Renewal, Training certificate and qualification-II memo not uploaded,.	Council Certificate Rejected, Training Certificate Rejected, Technical Certificate Rejected
446	406360	GUNDEBOINA MAHEH	G YELLAIAH	02/05/1997	Male	BC-D	No	No	Yes	NALGONDA	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	LT memo not uploaded	Technical Certificate Rejected
447	406368	VISHLAVATH SHEKHAR	VISHLAVATH TUKYA NAYAK	06/09/1990	Male	OC	No	No	No	SANGAREDDY	Intermediate Vocational MLT Course	700	444	63.43	57.09	6.00	<b>63.09</b>	Council Renewal and TS Caste not uploaded, Community Certificate Rejected	Council Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
448	406373	ANUSHA V	RAJAMALLAIAH	24/08/1988	Female	BC-B	No	No	Yes	ADILABAD	B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	LT Memo not uploaded	Technical Certificate Rejected
449	406390	CHERUKUPALLI JANARDHAN	CHERUKUPALLI YADAI AH	11/04/1987	Male	SC	No	No	No	NALGONDA	Intermediate Vocational MLT Course	700	447	63.86	57.47	8.00	<b>65.47</b>	Council certificate expired	Council Certificate Rejected
450	406391	NAGESH KUMAR M	YADAI AH	02/06/1987	Male	SC	No	No	No	NALGONDA	B.Sc. MLT	2450	1584	64.65	58.19	8.00	<b>66.19</b>	LT Memo and registration not submitted ,MSc Biochemistry memo uploaded	Council Certificate Rejected
451	406402	SRIKANTH KANDUKURI	RAMACHARY	25/04/1987	Male	OC	No	No	No		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	TS caste certificate, Council renewal certificate expired, bonafied from I to IV not uploaded ,, Community Certificate Rejected, Local Rejected	Council Certificate Rejected, Technical Certificate Rejected
452	406408	VISLAVATH RAJU	VISLAVATH SHANKAR	26/01/2000	Male	ST	No	No	Yes		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	I to IV Bonafides not uploaded, Local Rejected	Technical Certificate Rejected
453	406412	MD OMER	SD HABEEB	20/08/1998	Male	BC-E	No	No	Yes	HYDERABAD	Intermediate Vocational MLT Course	800	575	71.88	64.69	2.00	<b>66.69</b>	Training certificate not submitted, Training certificate not submitted	Training Certificate Rejected
454	406423	SHIVAKUMAR M	SATHYAI AH M	17/01/1987	Male	BC-A	No	No	No	MAHABOONBAGAR	Intermediate Vocational MLT Course	700	383	54.71	49.24	8.00	<b>57.24</b>	TS Council Renewal not attached	Council Certificate Rejected
455	406430	JOGU BHANUTEJA	JOGU VENKATAI AH	01/09/1994	Male	SC	No	No	No	MAHABOONBAGAR	DMLT	800	585	73.13	65.82	4.00	<b>69.82</b>	council registration certificate not submitted	Council Certificate Rejected
456	406435	Resu.Dhilepkumar	Srinu	07/08/1993	Male	ST	No	No	No	BHADRADRI KOTHAGUDEM	DMLT	480	208	43.33	39.00	4.50	<b>43.50</b>	TS Council Registration not attached	Council Certificate Rejected
457	406459	KUKKALA SRIKANTH	KUKKALA SUDHAKAR	06/06/2001	Male	OC	No	No	No		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Date of birth certificate, community certificate of Telangana, council registration certificate, bonafide certificate and training certificate not submitted, Community Certificate Rejected, Local Rejected	Council Certificate Rejected, Training Certificate Rejected, Technical Certificate Rejected
458	406461	ATHRAM SUJATHA	ATHRAM HARIDAS	14/02/1999	Female	ST	No	No	No	ADILABAD	DMLT	480	258	53.75	48.38	2.00	<b>50.38</b>	council certificate not uploaded	Council Certificate Rejected
459	406476	MANDALA SHYAMALA	MANDALA NARSAI AH	16/08/1990	Female	SC	No	No	No	SIDDIPET	B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	LT Documents not uploaded,.	Council Certificate Rejected, Technical Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
460	406481	DUDALA SRAVAN KUMAR	DUDALA Satyanarayana	11/07/2000	Male	OC	No	No	Yes	HYDERABAD	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	LT memo & TS Caste not uploaded, Community Certificate Rejected	Technical Certificate Rejected
461	406497	AJMERI BEGUM	MOHD ABDUL KHAYYUM	12/06/1998	Female	BC-B	No	No	No	HYDERABAD	B.Sc. MLT	1350	1006	74.52	67.07	2.50	<b>69.57</b>	council certificate not enclosed	Council Certificate Rejected
462	406504	PODETI PAVAN	PODETI SWAMY	31/12/1999	Male	SC	No	No	Yes	WARANGAL (RURAL)	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	LT marks memo not submitted,.	Technical Certificate Rejected
463	406506	GANNA BHASKAR	VENKAIAH	15/12/1993	Male	OC	No	No	Yes		DMLT	480	269	56.04	50.44	4.50	<b>54.94</b>	I to V Bonafides not uploaded, Local Rejected	Deleted due to Duplicate application
464	406519	GUNDARAPU ANJITH KUMAR	GUNDARAPU BHEEMAIHAH	10/12/1997	Male	BC-A	No	No	Yes	MANCHERIAL	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Qualification-I & II Certificate not clear,.	Technical Certificate Rejected
465	406522	KATTEKOLA RENUKA	NAGESHWAR RAO	16/05/1990	Female	OC	No	No	No		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	LT Documents not uploaded ,, Community Certificate Rejected, Local Rejected	Council Certificate Rejected, Training Certificate Rejected, Technical Certificate Rejected
466	406530	SURARAM SOUNDARYA	S Durgaiyah	18/08/1994	Female	OC	No	No	No	SIDDIPET	Intermediate Vocational MLT Course	700	580	82.86	74.57	0.00	<b>74.57</b>	SSC not uploaded; OBC Caste certificate enclosed.council certificate registration expired,, Community Certificate Rejected	Council Certificate Rejected
467	406543	K RAMANJANEYULU	ADIVANNA	16/04/2001	Male	BC-B	No	No	Yes	JOGULAMBA GADWAL	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Intermediate Vocational MLT Course mark list not clear,.	Technical Certificate Rejected
468	406560	Md Khaja Moinuddin	Md Yousufuddin	23/04/1986	Male	BC-E	No	No	No	ADILABAD	B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	LT Documents not uploaded ,,LT Documents council registration and LT Memo not uploaded	Council Certificate Rejected, Technical Certificate Rejected
469	406564	PERAKA KALPANA	P VENKATESWARLU	26/04/1986	Female	SC	No	No	No	BHADRADRI KOTHAGUDEM	DMLT	700	475	67.86	61.07	8.50	<b>69.57</b>	TS Council Renewal not attached	Council Certificate Rejected
470	406566	PUNNAMI SHIVALEELA	LAXMAIAH	25/08/1994	Female	SC	No	No	No	NAGARKURNOOL	Intermediate Vocational MLT Course	700	472	67.43	60.69	0.00	<b>60.69</b>	LT Documents not uploaded (Uploaded ANM Documents)	Council Certificate Rejected, Training Certificate Rejected
471	406575	ERPA ASWINI	E BABURAO	02/10/1995	Female	OC	No	No	No	BHADRADRI KOTHAGUDEM	DMLT	480	226	47.08	42.37	3.50	<b>45.87</b>	TS Caste, TS Council renewal not uploaded, Community Certificate Rejected	Council Certificate Rejected
472	406593	CHEVVA SATHAIAH	CHEVVA KALAMMA	15/03/1997	Female	BC-D	No	No	No	YADADRI BHONGIR	B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	LT Documents not uploaded ,,	Council Certificate Rejected, Technical Certificate Rejected



**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks					Remarks	Reason for Rejection	
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)			Total
473	406630	PARGI JYOTHI	ADIVAIAH	23/08/1994	Female	SC	No	No	No	VIKARABAD	DMLT	480	215	44.79	40.31	4.00	<b>44.31</b>	TS Council Renewal not attached	Council Certificate Rejected
474	406652	RAMAVATH MAHENDAR	RAMAVATH THULISIRAM	04/08/1994	Male	ST	No	No	Yes	JANGAON	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Qualification certificate II marks memo not uploaded	Technical Certificate Rejected
475	406670	MD JAREENA BEGUM	MD KUTUBUDDIN	12/09/1982	Female	OC	No	No	No		DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	CERTIFICATES ARE FAILED TO LOAD,, Community Certificate Rejected, Local Rejected	Council Certificate Rejected, Technical Certificate Rejected
476	406687	Kandukuri Praveen	Kandukuri Narasimha	18/04/1995	Male	SC	No	No	Yes		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	TRAINING CERTIFICATE NOT SUBMITTED, REMAINING FAILED TO LOAD ,, Local Rejected	Training Certificate Rejected, Technical Certificate Rejected
477	406693	Pippera Rajani	Mallaiah	04/08/1990	Female	BC-D	No	No	Yes	KOMARAM BHEEM ASIFABAD	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Qualification-II Certificate not clear,,	Technical Certificate Rejected, Deleted due to Duplicate application
478	406713	NAYINI SHARATH KUMAR	LACHANNA	13/06/1988	Male	OC	No	No	No	MANCHERIAL	DMLT	480	228	47.50	42.75	7.50	<b>50.25</b>	TS Council Registration & TS Caste Certificate not submitted, Community Certificate Rejected	Council Certificate Rejected
479	406715	KATIKA MAHESHJI	KATIKA LAXMOJI	09/11/1998	Male	BC-D	No	No	Yes	WANAPARTHY	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	Qualification certificate II marks missing,,	Technical Certificate Rejected
480	406725	B RAMESH	BATHULA KURMANNA	08/01/1993	Male	BC-D	No	No	No	MAHABOONNAGAR	Intermediate Vocational MLT Course	700	500	71.43	64.29	5.00	<b>69.29</b>	Apprenticeship certificate & TS Council Registration not attached	Council Certificate Rejected, Training Certificate Rejected
481	406727	MUSLIGARI MEGHAMALA	Musligari. Narsappa	03/06/1994	Female	SC	No	No	No	SANGAREDDY	DMLT	480	241	50.21	45.19	4.50	<b>49.69</b>	TS Council Renewal not attached	Council Certificate Rejected
482	406732	ORAGANTI VIJAYALAXMI	RAJANNAIAH	20/01/1994	Female	SC	No	No	Yes	ADILABAD	Intermediate Vocational MLT Course	700	546	78.00	70.20	4.50	<b>74.70</b>	Apprenticeship certificate not attached	Training Certificate Rejected
483	406746	THOORAM HEMALATHA	THOORAM BATHAKAIAH	25/07/1994	Female	ST	No	No	No		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Bonafides I to IV and Council Renewal not attached ;; Apprenticeship certificate wrongly uploaded, Local Rejected	Council Certificate Rejected, Training Certificate Rejected, Technical Certificate Rejected
484	406755	VANKUDOTH MOUNIKA	VANKUDOTH SUDHAKAR	08/05/2000	Female	ST	No	No	No	BHADRADRI KOTHAGUDEM	DMLT	480	257	53.54	48.19	1.50	<b>49.69</b>	TS Council Registration not attached	Council Certificate Rejected
485	406772	E VENKATESH	E NARSAPPA	14/01/1991	Male	SC	No	No	Yes	NARAYANAPET	Intermediate Vocational MLT Course	700	488	69.71	62.74	6.00	<b>68.74</b>	Apprenticeship certificate not attached	Training Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
486	406778	Eega shirisha	Kuamara swamy	16/02/1994	Female	BC-B	No	No	Yes	JAYASHANKAR BHUPALAPALLY	Intermediate Vocational MLT Course	700	608	86.86	78.17	4.50	<b>82.67</b>	Clinical training not uploaded	Training Certificate Rejected
487	406807	BHAVANASI SHRAVANKUMAR	B. VENKATAIAH	01/06/1991	Male	OC	No	No	No	OtherState	DMLT	480	223	46.46	41.81	6.00	<b>47.81</b>	TS Caste and TS Council not uploaded, Community Certificate Rejected	Council Certificate Rejected
488	406811	THURUPATI RAJANI	THURUPATI NARSIMLU	19/03/1994	Female	SC	No	No	Yes	MEDCHAL	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	LT memo not clear,.	Training Certificate Rejected, Technical Certificate Rejected
489	406813	ADARLA SUMALATHA	A YADIAIAH	05/06/1995	Female	SC	No	No	Yes	RANGAREDDY	Intermediate Vocational MLT Course	700	596	85.14	76.63	4.00	<b>80.63</b>	Training certificate not uploaded	Training Certificate Rejected
490	406817	BANAVATH SRIDEVI	BANAVATH RAMESH	14/12/2000	Female	ST	No	No	Yes	SANGAREDDY	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	training certificate not enclosed; LT Memo not clear,.	Training Certificate Rejected, Technical Certificate Rejected
491	406834	KANAKALA SWAMY	KANAKALA YADIAIAH	29/08/1999	Male	BC-B	No	No	No	NALGONDA	DMLT	480	276	57.50	51.75	1.50	<b>53.25</b>	TS Council Registration not attached	Council Certificate Rejected
492	406860	VADITYA VENKATESH	VADITYA BADDHU	04/09/1991	Male	ST	No	No	Yes	SURYAPET	Intermediate Vocational MLT Course	700	551	78.71	70.84	5.50	<b>76.34</b>	Training certificate not uploaded	Training Certificate Rejected
493	406861	MD AAMIR	SD HABEEB	23/11/1996	Male	BC-E	No	No	Yes	HYDERABAD	Intermediate Vocational MLT Course	800	588	73.50	66.15	3.00	<b>69.15</b>	Training certificate not enclosed, Training certificate not enclosed	Training Certificate Rejected
494	406865	K CHINNARANGASWAMY	K PEDDABHEEMUDU	25/04/1983	Male	BC-B	No	No	No	JOGULAMBA GADWAL	DMLT	480	222	46.25	41.63	10.00	<b>51.63</b>	TS Council Renewal not attached	Council Certificate Rejected
495	406872	MANASAJYOTHI NERELLA	VNKATRAJAM GOUD	14/08/1989	Female	BC-B	No	No	No		B.Sc. MLT	1350	968	71.70	64.53	6.50	<b>71.03</b>	council registration certificate expired, bonafide from 1st to 5th not submitted, Local Rejected	Council Certificate Rejected
496	406896	KELUTH SRINIVAS	K PEDDA RAMLA	20/10/1994	Male	ST	No	No	No	RANGAREDDY	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	TS Council Renewal not attached, .	Council Certificate Rejected, Technical Certificate Rejected
497	406900	ALIGE SUMALATHA	ALIGE MANIK RAO	06/01/1996	Female	SC	No	No	No	SANGAREDDY	DMLT	480	231	48.13	43.32	3.50	<b>46.82</b>	TS Council Registration not submitted	Council Certificate Rejected
498	406903	SHEELAM SHIRISHA	S GANESH	04/03/1990	Female	BC-D	No	No	No	WARANGAL (URBAN)	B.Sc. MLT	700	566	80.86	72.77	6.50	<b>79.27</b>	Council registration not uploaded and qualification certificate -II incorrectly uploaded	Council Certificate Rejected
499	406941	M JANAKIRAM	SAKRU	06/06/1988	Male	ST	No	No	Yes	HYDERABAD	Intermediate Vocational MLT Course	700	415	59.29	53.36	7.50	<b>60.86</b>	training certificate not submitted	Training Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks					Remarks	Reason for Rejection	
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)			Total
500	406949	NOMULA ARUNAMMA	NOMULA NARAYANA	05/04/1977	Female	SC	No	No	No	SURYAPET	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Council certificate and MLT certificates incorrectly uploaded,Nursing memo uploaded	Council Certificate Rejected, Technical Certificate Rejected
501	406965	K DEVI	HANMANTHU K	14/03/1995	Female	SC	No	No	Yes	NAGARKURNOOL	Intermediate Vocational MLT Course	700	445	63.57	57.21	4.00	<b>61.21</b>	Qualification ,training and birth certificates incorrectly uploaded,,Training Certificate & Qualification-I Certificate not uploaded	Training Certificate Rejected
502	406974	DONGRI MEENA	DONGRI NAMDEV	31/08/1993	Female	SC	No	No	No		Intermediate Vocational MLT Course	700	497	71.00	63.90	4.50	<b>68.40</b>	council registration certificate expired, bonafide certificate from 1st to 4th not submitted, Local Rejected	Council Certificate Rejected
503	406976	ADE BAPU	ADE CHUKKAI AH	14/06/1992	Male	BC-D	No	No	No		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Council Registration, LT memo wrongly uploaded ,, Local Rejected	Council Certificate Rejected, Technical Certificate Rejected
504	406986	PUPPALA PRANEETHA	BHEEMAI AH	10/06/1996	Female	SC	No	No	Yes		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	birth certificate, bonafide certificate & LT memo not submitted ,, Local Rejected	Technical Certificate Rejected
505	406994	POKALKAR LAXMAN	POKALKAR RAMESH	30/01/1995	Male	BC-D	No	No	No	RANGAREDDY	Intermediate Vocational MLT Course	700	480	68.57	61.71	4.00	<b>65.71</b>	Council Registration not submitted	Council Certificate Rejected
506	407001	ABDUL TAFHEEM	ABDUL MUQEEM	09/05/1999	Male	BC-E	No	No	No	ADILABAD	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	council registration certificate and ssc MLT memo not submitted,.	Council Certificate Rejected, Technical Certificate Rejected
507	407014	NAKKA PRAVEEN	LINGAM	25/08/1992	Male	OC	No	No	Yes	SIDDIPET	DMLT	1350	940	69.63	62.67	5.00	<b>67.67</b>	Caste not clear, Community Certificate Rejected	Deleted due to Duplicate application
508	407037	TARLA VIJAY VARDHAN	TARLA ANAND	16/08/1989	Male	SC	No	No	No	NIZAMABAD	B.Sc. MLT	1200	924	77.00	69.30	6.50	<b>75.80</b>	TS Council Renewal not attached ,PGD in Cardiac medical Lab Technology memo uploaded	Council Certificate Rejected
509	407039	PULISETTY SAILAXMI	PULISETTY CHENDRAIAH	13/07/1997	Female	BC-D	No	No	Yes	MANCHERIAL	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	no Intermediate Vocational MLT uploaded,.	Technical Certificate Rejected
510	407047	Ch.Deepika	Ch.Bikshapathi	24/09/1987	Female	OC	No	No	Yes	MEDCHAL	Intermediate Vocational MLT Course	700	501	71.57	64.41	7.50	<b>71.91</b>	caste certificate not clear, no training certificate, Community Certificate Rejected	Training Certificate Rejected
511	407070	RAVULA MANOJKUMAR	RAVULA SURESH	04/10/1999	Male	BC-D	No	No	Yes	MEDCHAL	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Qualification-I&II Certificates not clear,.	Technical Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
512	407087	PIPPERA RAJANI	PIPPERA MALLAIAH	04/08/1990	Female	BC-D	OH	No	Yes	KOMARAM BHEEM ASIFABAD	Intermediate Vocational MLT Course	700	512	73.14	65.83	6.00	<b>71.83</b>	Apprenticeship certificate not attached	Training Certificate Rejected
513	407101	M MAMATHA	M RAMANI	10/06/1996	Female	ST	No	No	Yes	MEDCHAL	Intermediate Vocational MLT Course	800	606	75.75	68.18	0.00	<b>68.18</b>	Father name mismatch in SSC, Training Certificate not Uploaded	Training Certificate Rejected
514	407116	Puram Ramesh	Laxminarayana	10/10/1987	Male	OC	OH	No	No	KHAMMAM	Intermediate Vocational MLT Course	700	491	70.14	63.13	7.50	<b>70.63</b>	TS Caste, Council Renewal and Training certificate not uploaded, Community Certificate Rejected	Council Certificate Rejected, Training Certificate Rejected
515	407130	Gandla Bhagyasri	Gandla Ashok	18/05/1997	Female	OC	No	No	No	KAMAREDDY	B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	Uploaded Nursing documents,, Community Certificate Rejected	Council Certificate Rejected, Technical Certificate Rejected
516	407136	MOODU RAMAKRISHNA	SAKRU	01/07/1989	Male	ST	No	No	Yes	BHADRADRI KOTHAGUDEM	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	Apprenticeship certificate not attached, LT Memo wrongly attached,LT Memo not uploaded	Technical Certificate Rejected
517	407144	CHINTA SWETHA	CH VENKATESWARA RAO	11/10/1995	Female	OC	No	No	No	OtherState	Intermediate Vocational MLT Course	800	663	82.88	74.59	3.50	<b>78.09</b>	Community certificate mismatch; council registration expired; training certificate not uploaded, Community Certificate Rejected	Council Certificate Rejected, Training Certificate Rejected
518	407186	REDDIMALLA LAXMI	REDDIMALLA MONDAIAH	04/03/1993	Female	SC	No	No	No	JAGTIAL	Intermediate Vocational MLT Course	700	589	84.14	75.73	5.00	<b>80.73</b>	council registration certificate expired, training certificate not submitted,ssc marks memo not submitted	Council Certificate Rejected, Training Certificate Rejected
519	407196	GYARA PARAMESH	ANJIAH	14/06/1995	Male	SC	No	No	No	YADADRI BHONGIR	Intermediate Vocational MLT Course	700	494	70.57	63.51	4.00	<b>67.51</b>	council registration certificate and training certificate not submitted in allotted slots	Council Certificate Rejected, Training Certificate Rejected
520	407225	Palthi jagadeesh	Makuna	03/04/1996	Male	ST	No	No	Yes	NALGONDA	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	LT Memo not clear	Technical Certificate Rejected
521	407237	KARNE RAGHU PRASAD	KARNE PRASAD	24/04/2001	Male	BC-C	No	No	Yes		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	LT Memo, I to V Bonafides not attached,, Local Rejected	Technical Certificate Rejected
522	407253	PRIYANKA BHOOKYA	CHANDRA NAYAK	17/05/1987	Female	ST	No	No	Yes	PEDDAPALLI	Intermediate Vocational MLT Course	800	710	88.75	79.88	8.00	<b>87.88</b>	Training certificate incorrectly uploaded	Training Certificate Rejected
523	407259	PALTHYA ANASURYA	PATHYA UKKYA	04/06/1995	Female	ST	No	No	No	KOMARAM BHEEM ASIFABAD	Intermediate Vocational MLT Course	800	627	78.38	70.54	4.00	<b>74.54</b>	TS Council Registration not attached	Council Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
524	407269	AKULA PAVANI	AKULA BHAVANI	02/07/1991	Female	OC	No	No	No		DMLT	480	259	53.96	48.56	5.50	<b>54.06</b>	I to V Bonafides, Council Certificate & Community Certificate not uploaded, Community Certificate Rejected, Local Rejected	Council Certificate Rejected
525	407310	ADDAGATLA UDHGEETHA	ADDAGATLA GNANESHWAR	01/05/1995	Female	BC-B	No	No	No		DMLT	480	242	50.42	45.38	4.00	<b>49.38</b>	Council certificate and bonafides incorrectly uploaded, Local Rejected	Council Certificate Rejected
526	407312	Kampally Naresh	Kampally Naresh	16/08/1995	Male	SC	No	No	Yes	NAGARKURNOOL	Intermediate Vocational MLT Course	800	531	66.38	59.74	3.50	<b>63.24</b>	Training certificate incorrectly uploaded	Training Certificate Rejected
527	407313	dheeravath sreenu naik	bhadru	15/07/1985	Male	ST	No	No	No	JANGAON	B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	Birth ,qualification,council certificates incorrectly uploaded,.	Council Certificate Rejected, Technical Certificate Rejected
528	407320	NETHALA SURYAPRAKASH	NETHALA APPA RAO	08/03/1989	Male	SC	No	No	No	HYDERABAD	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	Qualification certificate incorrectly uploaded,.	Council Certificate Rejected, Technical Certificate Rejected
529	407329	THIRUKKOVALURU SANDEEP KUMAR	T YADAGIRI SWAMY	31/05/1988	Male	BC-D	No	No	Yes		Intermediate Vocational MLT Course	700	376	53.71	48.34	7.50	<b>55.84</b>	I to V Bonafides and Apprenticeship certificate not attached, Local Rejected	Training Certificate Rejected
530	407357	PERIKA SHYAM	P PRABHAKAR	15/04/1997	Male	OC	No	No	Yes	NALGONDA	Intermediate Vocational MLT Course	800	618	77.25	69.53	0.00	<b>69.53</b>	Birth,training,community,qualification certificates incorrectly uploaded, Community Certificate Rejected	Training Certificate Rejected
531	407369	Katteboina saritha	Lingaiah	09/03/1999	Female	BC-D	No	No	No	NALGONDA	DMLT	480	302	62.92	56.63	2.00	<b>58.63</b>	Council certificate not uploaded	Council Certificate Rejected
532	407370	MYSA SWARNNA LATHA	MYSA PRASANGI PAUL	08/07/1994	Female	SC	No	No	No	WARANGAL (URBAN)	B.Sc. MLT	0	0	0.00	0.00	0.00	<b>0.00</b>	Council certificate incorrectly uploaded,B.Sc. Nursing memos uploaded	Council Certificate Rejected, Technical Certificate Rejected
533	407386	K.Narsimulu	K.Hanumaiah	20/07/1988	Male	BC-D	No	No	No	VIKARABAD	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Qualification-II Certificate not clear, council renewal not uploaded,.	Council Certificate Rejected, Technical Certificate Rejected
534	407396	KANTHULA AKHILA	KANTHULA DEVAIAH	11/06/2001	Female	BC-B	No	No	Yes		Intermediate Vocational MLT Course	800	658	82.25	74.03	1.00	<b>75.03</b>	Apprenticeship certificate & School Bonafides not attached, Local Rejected	Training Certificate Rejected
535	407440	EESAM SHYAM	EESAM VENKATAIAH	29/03/1997	Male	SC	No	No	No	NALGONDA	Intermediate Vocational MLT Course	800	667	83.38	75.04	3.00	<b>78.04</b>	Council certificate not uploaded	Council Certificate Rejected
536	407447	MAMIDI LAKSHMINARAYANA	MAMAIDI NARASIMHA DAS	13/08/1991	Male	BC-B	No	No	No	SURYAPET	B.Sc. MLT	2400	1648	68.67	61.80	5.50	<b>67.30</b>	Council certificate incorrectly uploaded	Council Certificate Rejected

**Office of the District Medical & Health Officer, Hyderabad**  
**Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)**

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks						Remarks	Reason for Rejection
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)	Total		
537	407449	VANGALA RAJESHWARI	VANGALA RAVI	20/08/1995	Female	BC-B	No	No	No	YADADRI BHONGIR	Intermediate Vocational MLT Course	700	653	93.29	83.96	3.50	<b>87.46</b>	Council certificate not uploaded	Council Certificate Rejected
538	407450	TELUGU JYOTHI	T HANMANHU	10/02/2001	Female	BC-D	No	No	Yes	JOGULAMBA GADWAL	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	SSC Memo and LT Memo not clear,.	Technical Certificate Rejected
539	407506	POKALKAR RAMU	POKALKAR RAMESH	30/01/1995	Male	BC-D	No	No	No		Intermediate Vocational MLT Course	700	507	72.43	65.19	4.00	<b>69.19</b>	council registration and training certificate not uploaded properly, Local Rejected	Council Certificate Rejected, Training Certificate Rejected
540	407552	ANGOTHU NAVITHA	ANGOTHU GANAPATHI	15/07/1995	Female	ST	No	No	No		B.Sc. MLT	1350	840	62.22	56.00	3.50	<b>59.50</b>	council registration certificate of Telangana and Bonafide certificate from 1st to 4th class not submitted, Local Rejected	Council Certificate Rejected
541	407558	T SIRISHA	T RAMUDU	23/07/2000	Female	OC	No	No	Yes	JOGULAMBA GADWAL	Intermediate Vocational MLT Course	800	653	81.63	73.47	1.00	<b>74.47</b>	Community and council certificate incorrectly uploaded, Community Certificate Rejected	Training Certificate Rejected
542	407577	BANDAGALLA SHRADA	BANDAGALLA JANGAIAH	13/06/1992	Female	SC	No	No	No	RANGAREDDY	B.Sc. MLT	1350	955	70.74	63.67	5.50	<b>69.17</b>	Council renewal not uploaded	Council Certificate Rejected
543	407580	RATHOD	DILEEP	12/01/1990	Female	OC	No	No	No		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	community certificate and council registration certificate of telangana not submitted, training certificate and MLT marks certificate not submitted,, Community Certificate Rejected, Local Rejected	Council Certificate Rejected, Training Certificate Rejected, Technical Certificate Rejected, Deleted due to Duplicate application
544	407602	SARASWATHI	VENKATANNA	10/06/2001	Female	BC-A	No	No	Yes	JOGULAMBA GADWAL	Intermediate Vocational MLT Course	800	532	66.50	59.85	1.00	<b>60.85</b>	Training certificate incorrectly uploaded	Training Certificate Rejected
545	407627	SADDAM HUSSAIN	MOHD HUSSAIN	13/06/1993	Male	BC-E	No	No	No	NARAYANAPET	Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Council certificate not clear, Qualification-I&II not submitted ,.	Council Certificate Rejected, Technical Certificate Rejected
546	407644	YEMBARI PRASHANTH	YEMBARI KRISHNA	17/06/1996	Male	BC-D	No	No	No	SANGAREDDY	Intermediate Vocational MLT Course	800	635	79.38	71.44	3.50	<b>74.94</b>	TS Council Renewal not attached	Council Certificate Rejected
547	407650	S KAVITHA	S MAHENDER	07/11/1985	Female	OC	No	No	No	HYDERABAD	DMLT	480	296	61.67	55.50	8.50	<b>64.00</b>	Council registration not submitted, Fathers name not available on caste, Community Certificate Rejected	Council Certificate Rejected

## Rejected Candidates List for the post of Lab Technician Grade-II (Notification No. 3131/DSC/Hyd/2021)

SNO	App. No	Name	Father Name	DOB	Gender	Comm.	PH	Ex. Ser	Council Certificate	Local District	Qualification	Marks					Remarks	Reason for Rejection	
												Maximum	Obtained	%	90% of Qua. Exam	Age Wt. (Max.10)			Total
548	407674	N SAI KUMAR	N RAMESH	16/06/1995	Male	BC-D	No	No	Yes	RANGAREDDY	DMLT	0	0	0.00	0.00	0.00	<b>0.00</b>	LT memo not submitted,.	Technical Certificate Rejected
549	407717	RATHOD SUJATHA	DILEEP	12/01/1990	Female	OC	No	No	No		Intermediate Vocational MLT Course	0	0	0.00	0.00	0.00	<b>0.00</b>	Pharmacy documents submitted,, Community Certificate Rejected, Local Rejected	Council Certificate Rejected, Training Certificate Rejected, Technical Certificate Rejected
550	407753	P SWATHI	P PRABHAKAR	11/02/1989	Female	BC-A	No	No	No		Intermediate Vocational MLT Course	700	447	63.86	57.47	7.00	<b>64.47</b>	1-4School bonafides not submitted, TS Council Renewal not attached, Local Rejected	Council Certificate Rejected
551	407758	VIJAY KUMAR M	DEVANNA	10/06/1985	Male	SC	No	No	Yes	JOGULAMBA GADWAL	Intermediate Vocational MLT Course	700	507	72.43	65.19	9.00	<b>74.19</b>	training not enclosed	Training Certificate Rejected